

Surgical reconstruction of lost papilla around single implants using a modified technique

Rebuilding the pink aesthetics

DR MAHDI FARAJI, PRETORIA, SOUTH AFRICA

Literature

1. Blatz MB, Hurzeler MB, Strub JR. Reconstruction of the lost interproximal papilla—Presentation of surgical and non-surgical approaches. *Int J Periodontics Restorative Dent* 1999;19:395–406.
2. Jemt T. Regeneration of gingival papillae after single-implant treatment. *Int J Periodontics Restorative Dent* 1997;17:326-333.
3. Beagle JR. Surgical reconstruction of the interdental papilla: Case report. *Int J Periodontics Restorative Dent* 1992;12: 144–151.
4. Azzi R, Etienne D, Carranza F. Surgical reconstruction of the interdental papilla. *Int J Periodontics Restorative Dent* 1998;18:467–473.
5. Nemcovsky CE, Moss O, Artzi Z. Interproximal papillae reconstruction in maxillary implants. *J Periodontol* 2000;71:308-314.
6. Azzi R, Takei HH, Etienne D, Carranza F. Root coverage and papilla reconstruction using autogenous osseous and connective tissue grafts. *Int J Periodontics Restorative Dent* 2001;21:141–147.
7. Khoury F, Happe A. The palatal subepithelial connective tissue flap method for soft tissue management to cover maxillary defects: A clinical report. *Int J Oral Maxillofac Implants* 2000;15:415-418
8. Matthews DP. The pediculated connective tissue graft: A novel approach for the “blown-out” site in the aesthetic zone. *Compend Contin Educ Dent* 2008;29:350-352, 354, 356-357.
9. Chow YC, Eber RM, Tsao Y-P, Shotwell JL, Wang H-L. Factors associated with the appearance of gingival papillae. *J Clin Periodontol* 2010; 37: 719–727.
10. Grunder U. Stability of the mucosal topography around single-tooth implants and adjacent teeth: 1-Year results. *Int J Periodontics Restorative Dent* 2000;20:11-17

