

First report of a two-year retrospective study with a newly developed bone-level implant system

Peri-implant health and peri-implant bone stability after immediate implant placement

DR-MEDIC STOM. HENRIETTE LERNER, DR JONAS LORENZ, PROFESSOR ROBERT A. SADER, DR SHAHRAM GHANAATI

Literature

- Albrektsson, T.; Dahl, E.; Enbom, L.; Engqvall, S.; Engquist, B.; Eriksson, A. R. et al. (1988): Osseointegrated oral implants. A Swedish multicenter study of 8139 consecutively inserted Nobelpharma implants. In: *J. Periodontol* 59 (5), S. 287–296.
- Spiekermann, H.; Jansen, V. K.; Richter, E. J. (1995): A 10-year follow-up study of IMZ and TPS implants in the edentulous mandible using bar-retained overdentures. In: *Int J Oral Maxillofac Implants* 10 (2), S. 231–243.
- Nevins, M.; Langer, B. (1993): The successful application of osseointegrated implants to the posterior jaw: a long-term retrospective study. In: *Int J Oral Maxillofac Implants* 8 (4), S. 428–432.
- Henry, P. J.; Laney, W. R.; Jemt, T.; Harris, D.; Krogh, P. H.; Polizzi, G. et al. (1996): Osseointegrated implants for single-tooth replacement: a prospective 5-year multicenter study. In: *Int J Oral Maxillofac Implants* 11 (4), S. 450–455.
- Schmitt, A.; Zarb, G. A. (1993): The longitudinal clinical effectiveness of osseointegrated dental implants for single-tooth replacement. In: *Int J Prosthodont* 6 (2), S. 197–202.
- Fugazzotto, P. A.; Gulbransen, H. J.; Wheeler, S. L.; Lindsay, J. A. (1993): The use of IMZ osseointegrated implants in partially and completely edentulous patients: success and failure rates of 2,023 implant cylinders up to 60+ months in function. In: *Int J Oral Maxillofac Implants* 8 (6), S. 617–621.
- Misch, C. E. (1990): Density of bone: effect on treatment plans, surgical approach, healing, and progressive bone loading. In: *Int J Oral Implantol* 6 (2), S. 23–31.
- Albrektsson, T.; Lekholm, U. (1989): Osseointegration: current state of the art. In: *Dent. Clin. North Am* 33 (4), S. 537–554.
- Adell R, Lekholm U, Bränemark P-I. Surgical procedures. In: Bränemark P-I, Zarb G, Albrektsson T, eds. *Tissue Integrated Prostheses: Surgical Procedures*. Chicago: Quintessence Publishing Co., Inc.; 1985:223–225.
- Kohal, R. J.; LaRosa, M. de; Patrick, D.; Hürzeler, M. B.; Caffesse, R. G. (1999): Clinical and histologic evaluation of submerged and nonsubmerged hydroxyapatite-coated implants: a preliminary study in dogs. In: *Int J Oral Maxillofac Implants* 14 (6), S. 824–834.
- Evian, C. I.; Kessler, L.; Axler, J. (1997): One-stage surgery with a nonsubmerged implant system. In: *Compend Contin Educ Dent* 18 (11), S. 1091-4, 1096-8.
- Ericsson, I.; Nilner, K.; Klinge, B.; Glantz, P. O. (1996): Radio-graphical and histological characteristics of submerged and nonsubmerged titanium implants. An experimental study in the Labrador dog. In: *Clin Oral Implants Res* 7 (1), S. 20–26.
- Chrcanovic, Bruno Ramos; Albrektsson, Tomas; Wennerberg, Ann (2015): Dental implants inserted in fresh extraction sockets versus healed sites: a systematic review and meta-analysis. In: *J Dent* 43 (1), S. 16–41.
- Weiss CM, Weiss A, Rosenlicht J. Root form implants. Treatment of total mandibular edentulism diagnosed for an overdenture. In: Weiss CM, Weiss A, eds. *Principles and Practice of Implant Dentistry*. St. Louis: Mosby; 2001:147–168.
- Fickl, Stefan; Zuhrl, Otto; Wachtel, Hannes; Stappert, Christian F. J.; Stein, Jamal M.; Hürzeler, Markus B. (2008): Dimensional changes of the alveolar ridge contour after different socket preservation techniques. In: *J. Clin. Periodontol* 35 (10), S. 906–913.
- Vignoletti, Fabio; Matesanz, Paula; Rodrigo, Daniel; Figueiro, Elena; Martin, Conchita; Sanz, Mariano (2012): Surgical protocols for ridge preservation after tooth extraction. A systematic review. In: *Clin Oral Implants Res* 23 Suppl 5, S. 22–38.
- Lekovic, V.; Camargo, P. M.; Klokkevold, P. R.; Weinlaender, M.; Kenney, E. B.; Dimitrijevic, B.; Nedic, M. (1998): Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. In: *J. Periodontol* 69 (9), S. 1044–1049.

18. Becker, W.; Becker, B.; Polizzi, G.; Bergstrom, C. (1994): Autogenous bone grafting of defects adjacent to implants placed into immediate extraction sockets in patients: a prospective study. In: *Int J Oral Maxillofac Implants*, 9:389–396.
19. Artzi, Z.; Tal, H.; Dayan, D. (2001): Porous bovine bone mineral in healing of human extraction sockets: 2. Histological observations at 9 months. In: *J. Periodontol* 72 (2), S. 152–159.
20. Iasella, John M.; Greenwell, Henry; Miller, Richard L.; Hill, Margaret; Drisko, Connie; Bohra, Aziz A.; Scheetz, James P. (2003): Ridge preservation with freeze-dried bone allograft and a collagen membrane compared to extraction alone for implant site development: a clinical and histologic study in humans. In: *J. Periodontol* 74 (7), S. 990–999.
21. Araújo, Mauricio G.; Lindhe, Jan (2005): Dimensional ridge alterations following tooth extraction. An experimental study in the dog. In: *J. Clin. Periodontol* 32 (2), S. 212–218.
22. Evans, Christopher D. J.; Chen, Stephen T. (2008): Esthetic outcomes of immediate implant placements. In: *Clin Oral Implants Res* 19 (1), S. 73–80.
23. Chen, Stephen T.; Darby, Ivan B.; Reynolds, Eric C.; Clement, John G. (2009): Immediate implant placement postextraction without flap elevation. In: *J. Periodontol* 80 (1), S. 163–172.
24. Lang, Niklaus P.; Pun, Lui; Lau, Ka Yee; Li, Ka Yan; Wong, May C. M. (2012): A systematic review on survival and success rates of implants placed immediately into fresh extraction sockets after at least 1 year. In: *Clin Oral Implants Res* 23 Suppl 5, S. 39–66.
25. Pagni, Giorgio; Pellegrini, Gaia; Giannobile, William V.; Rasperini, Giulio (2012): Postextraction alveolar ridge preservation: biological basis and treatments. In: *Int J Dent* 2012, S. 151030.
26. Tavarez, Rudys Rodolfo Jesus de; Calixto, Amanda Martins; Maia Filho, Etevaldo Matos; Bandeca, Matheus Coelho; Firoozmand, Leily Macedo; Gomes, Mario Gilson Nina; Malheiros, Adriana Santos (2014): Atraumatic extraction, implant placement and immediate provisionalization. In: *J Contemp Dent Pract* 15 (4), S. 513–517.
27. Misch, C. E. (1999): Implant design considerations for the posterior regions of the mouth. In: *Implant Dent* 8 (4), S. 376–386.
28. Binon, P. P. (2000): Implants and components: entering the new millennium. In: *Int J Oral Maxillofac Implants* 15 (1), S. 76–94.
29. Trisi, P.; Rao, W.; Rebaudi, A. (1999): A histometric comparison of smooth and rough titanium implants in human low-density jawbone. In: *Int J Oral Maxillofac Implants* 14 (5), S. 689–698.
30. Steigenga, Jennifer T.; al-Shammari, Khalaf F.; Nociti, Francisco H.; Misch, Carl E.; Wang, Hom-Lay (2003): Dental implant design and its relationship to long-term implant success. In: *Implant Dent* 12 (4), S. 306–317.
31. Niznick, G. (2000): Achieving Osseointegration in soft bone: The search for improved results. In: *Oral Health*, 2000;90:27–32.
32. O'Sullivan, D.; Sennerby, L.; Meredith, N. (2000): Measurements comparing the initial stability of five designs of dental implants: a human cadaver study. In: *Clin Implant Dent Relat Res* 2 (2), S. 85–92.
33. Sykaras, N.; Iacopino, A. M.; Marker, V. A.; Triplett, R. G.; Woody, R. D. (2000): Implant materials, designs, and surface topographies: their effect on osseointegration. A literature review. In: *Int J Oral Maxillofac Implants* 15 (5), S. 675–690.
34. Canullo, Luigi; Penarrocha-Oltra, David; Soldini, Claudio; Mazzocco, Fabio; Penarrocha, Maria; Covani, Ugo (2015): Microbiological assessment of the implant-abutment interface in different connections: cross-sectional study after 5 years of functional loading. In: *Clin Oral Implants Res* 26 (4), S. 426–434.
35. Pozzi, Alessandro; Tallarico, Marco; Moy, Peter K. (2014): Three-year post-loading results of a randomised, controlled, split-mouth trial comparing implants with different prosthetic interfaces and design in partially posterior edentulous mandibles. In: *Eur J Oral Implantol* 7 (1), S. 47–61.
36. Ghanaati, Shahram; Lorenz, Jonas; Obreja, Karina; Choukroun, Joseph; Landes, Constantin; Sader, Robert A. (2014): Nanocrystalline hydroxyapatite-based material already contributes to implant stability after 3 months: a clinical and radiologic 3-year follow-up investigation. In: *J Oral Implantol* 40 (1), S. 103–109.
37. Ghanaati, Shahram; Barbeck, Mike; Lorenz, Jonas; Stuebinger, Stefan; Seitz, Oliver; Landes, Constantin et al. (2013): Synthetic bone substitute material comparable with xenogeneic material for bone tissue regeneration in oral cancer patients: First and preliminary histological, histomorphometrical and clinical results. In: *Ann Maxillofac Surg* 3 (2), S. 126–138.
38. Sailer, I.; Zembic, A.; Jung, R.; Siegenthaler, D.; Holderegger, C.; Hämmерle, C. (2009): Randomized controlled clinical trial of customized zirconia and titanium implant abutments for canine and posterior single-tooth implant reconstructions: preliminary results at 1 year of function. In: *Clinical Oral Implants Research*; 20: 219-225.
39. Brägger, U.; Burgin, W.; Hämmärlie, C.; Lang N. (1997): Associations between clinical parameters assessed around implants and teeth. In: *Clinical Oral Implants Research*; 8: 412-421.
40. Berglundh, T.; Lindhe, J.; Ericsson, I.; Marinello, C.; Liljenberg, B.; Thomsen, P. (1991): The soft tissue barrier at implants and teeth. In: *Clinical Oral Implants Research*; 2: 81-90.

41. Berglundh, T; Lindhe, J; Jonsson, K; Ericsson, I. (1994): The topography of the vascular systems in the periodontal and peri-implant tissues in the dog. In: *Journal of Clinical Periodontology*; 21: 189-193.
42. Moon, I; Berglundh, T; Abrahamsson, I; Linder, E; Lindhe, J. (1999): The barrier between the keratinized mucosa and the dental implant. An experimental study in the dog. In: *Journal of Clinical Periodontology*; 26: 658-663.
43. Lindhe, J; Berglundh, T. (1998): The interface between the mucosa and the implant. In: *Periodontology 2000*; 17: 47-54.
44. Rieder, Dominik; Eggert, Jochen; Krafft, Tim; Weber, Hans-Peter; Wichmann, Manfred G.; Heckmann, Siegfried M. (2014): Impact of placement and restoration timing on single-implant esthetic outcome - a randomized clinical trial. In: *Clin Oral Implants Res.*
45. Romanos, Georgios E.; Aydin, Erhan; Locher, Kathrin; Nentwig, Georg-Hubertus (2014): Immediate vs. delayed loading in the posterior mandible: a split-mouth study with up to 15 years of follow-up. In: *Clin Oral Implants Res.*
46. Wagenberg, Barry; Froum, Stuart J. (2014): Long-Term Bone Stability around 312 Rough-Surfaced Immediately Placed Implants with 2-12-Year Follow-Up. In: *Clin Implant Dent Relat Res.*
47. Javed, Fawad; Ahmed, Hameeda Bashir; Crespi, Roberto; Romanos, Georgios E. (2013): Role of primary stability for successful osseointegration of dental implants: Factors of influence and evaluation. In: *Interv Med Appl Sci* 5 (4), S. 162–167.
48. Calvo-Guirado, José Luis; Gomez Moreno, Gerardo; Aguilar-Salvatierra, Antonio; Mate Sanchez Val, Jose Eduardo de; Abboud, Marcus; Nemcovsky, Carlos E. (2014): Bone remodeling at implants with different configurations and placed immediately at different depth into extraction sockets. Experimental study in dogs. In: *Clin Oral Implants Res.*
49. Javed, Fawad; Almas, Khalid; Crespi, Roberto; Romanos, George E. (2011): Implant surface morphology and primary stability: is there a connection? In: *Implant Dent* 20 (1), S. 40–46.
50. Berberi, Antoine; Tehini, Georges; Rifai, Khaldoun; Bou Nasser Eddine, Farah; El Zein, Nabil; Badran, Bassam; Akl, Haidar (2014): In vitro evaluation of leakage at implant-abutment connection of three implant systems having the same prosthetic interface using rhodamine B. In: *Int J Dent* 2014, S. 351263.