



Frontzahnrestaurationen mit Komposit

Vorhersagbarer Erfolg mit standardisierter Schichttechnik

Ein Beitrag von Prof. Dr. Jürgen Manhart

Literaturangabe

- Pohlgeers, M., D. Dirksen, and A. Wolowski, Orale Ästhetik. Übersicht ästhetisch relevanter Parameter. ZWR, 2013. 122(11): p. 590-596.
- Fahl, N., Jr., G.E. Denehy, and R.D. Jackson, Protocol for predictable restoration of anterior teeth with composite resins. Pract Periodontics Aesthet Dent, 1995. 7(8): p. 13-21.
- Fahl, N., Jr., Predictable aesthetic reconstruction of fractured anterior teeth with composite resins: a case report. Pract Periodontics Aesthet Dent, 1996. 8(1): p. 17-31.
- Vanini, L., Light and color in anterior composite restorations. Pract Periodontics Aesthet Dent, 1996. 8(7): p. 673-682.
- Vanini, L. and F.M. Mangani, Determination and communication of color using the five color dimensions of teeth. Pract Proced Aesthet Dent, 2001. 13(1): p. 19-26.
- Dietschi, D., Free-hand bonding in the esthetic treatment of anterior teeth: creating the illusion. J Esthet Dent, 1997. 9(4): p. 156-64.
- Dietschi, D., Layering concepts in anterior composite restorations. J Adhes Dent, 2001. 3(1): p. 71-80.
- Dietschi, D., Free-hand bonding: the ultimate treatment modality to enhance smiles in young patients. Australasian Dental Practice, 2012(1): p. 150-154.
- Baratieri, L.N., E. Araujo, and S. Monteiro, Jr., Color in natural teeth and direct resin composite restorations: essential aspects. Eur J Esthet Dent, 2007. 2(2): p. 172-86.
- Wolff, D., Ästhetische Rehabilitation mit direkten Kompositrestaurationen im Frontzahnbereich. wissen kompakt, 2013. 7(4): p. 29-40.
- Frese, C., et al., Recontouring teeth and closing diastemas with direct composite buildups: a 5-year follow-up. J Dent, 2013. 41(11): p. 979-85.
- LeSage, B.P., Aesthetic anterior composite restorations: a guide to direct placement. Dent Clin North Am, 2007. 51(2): p. 359-378.
- Mackenzie, L., et al., Direct anterior composites: a practical guide. Dent Update, 2013. 40(4): p. 297-308.
- Fahl, N., Jr., A polychromatic composite layering approach for solving a complex Class IV/direct veneer-diastrama combination: part I. Pract Proced Aesthet Dent, 2006. 18(10): p. 641-645.
- Dietschi, D., Free-hand composite resin restorations: a key to anterior aesthetics. Pract Periodontics Aesthet Dent, 1995. 7(7): p. 15-25.
- Ardu, S., et al., Influence of water sorption on resin composite color and color variation amongst various composite brands with identical shade code: an in vitro evaluation. J Dent, 2011. 39 Suppl 1: p. e37-44.
- Villarreal, M., et al., Direct esthetic restorations based on translucency and opacity of composite resins. J Esthet Restor Dent, 2011. 23(2): p. 73-87.
- Dieter, M., Direct veneers in anterior smile design. Int Dent African Edition, 2015. 5(1): p. 16-22.
- Manauta, J., et al., Stratification in anterior teeth using one dentine shade and a predefined thickness of enamel: a new concept in composite layering--Part I. Odontostomatol Trop, 2014. 37(146): p. 5-16.
- Baez Rosales, A., et al., Conservative Approach for the Esthetic Management of Multiple Interdental Spaces: A Systematic Approach. J Esthet Restor Dent, 2015. 27(6): p. 344-54.
- Dietschi, D., Optimising aesthetics and facilitating clinical application of free-hand bonding using the 'natural layering concept'. Br Dent J, 2008. 204(4): p. 181-5.
- Felippe, L.A., et al., Clinical strategies for success in proximo-incisal composite restorations. Part I: Understanding color and composite selection. J Esthet Restor Dent, 2004. 16(6): p. 336-47.
- Dietschi, D., Clinical Application of the 'Natural Layering Concept'. Oral Health, 2007. 97(8): p. 69.
- Dietschi, D., Learning and applying the Natural Layering Concept. Cosmetic Dentistry, 2009(2): p. 36-42.
- Winter, R., Visualizing the natural dentition. J Esthet Dent, 1993. 5(3): p. 102-17.
- Schroeder, H.E., Pathobiologie oraler Strukturen. 1991, Basel: Karger-Verlag.
- Hall, N.R. and M.C. Kafalias, Composite colour matching: the development and evaluation of a restorative colour matching system. Aust Prosthodont J, 1991. 5: p. 47-52.
- Terry, D.A. and K.F. Leinfelder, An integration of composite resin with natural tooth structure: the Class IV restoration. Pract Proced Aesthet Dent, 2004. 16(3): p. 235-42; quiz 244.
- Magne, P. and W.S. So, Optical integration of incisoproximal restorations using the natural layering concept. Quintessence Int, 2008. 39(8): p. 633-643.
- Felippe, L.A., et al., Clinical strategies for success in proximo-incisal composite restorations. Part II: Composite application technique. J Esthet Restor Dent, 2005. 17(1): p. 11-21.

31. De Araujo, E.M., Jr., S. Fortkamp, and L.N. Baratieri, Closure of diastema and gingival recontouring using direct adhesive restorations: a case report. *J Esthet Restor Dent*, 2009. 21(4): p. 229-40.
32. Vanini, L., Conservative composite restorations that mimic nature. A step-by-step anatomical stratification technique. *Journal of Cosmetic Dentistry*, 2010. 26(3): p. 80-98.
33. Willhite, C., Direct Veneers. Section B: Transitional Bonding, in *Contemporary Esthetic Dentistry*, G. Freedman, Editor. 2012, C. V. Mosby Co.: St. Louis, Missouri. p. 411-422.
34. Krastl, G. and R. Weiger, Frontzahnrestaurationen: Brauchen wir überhaupt Keramik? *Quintessenz*, 2010. 61(5): p. 511-520.
35. Milnar, F.J., Selecting nanotechnology-based composites using colorimetric and visual analysis for the restoration of anterior dentition: a case report. *J Esthet Restor Dent*, 2004. 16(2): p. 89-100; discussion 101.
36. Terry, D.A. and W. Geller, Selection defines design. *J Esthet Restor Dent*, 2004. 16(4): p. 213-25; discussion 226.
37. Hugo, B., Direkte Kompositentechnik zur ästhetischen Korrektur an Frontzähnen. *Inf Orthod Kieferorthop*, 2002. 34(3): p. 165-171.
38. Frankenberger, R., Direkte Frontzahnfüllungen - Ästhetik und Funktion, in *Farbatlanten der Zahnmedizin, Band 15: Ästhetische Zahnmedizin*, J. Schmideder and T. Munz, Editors. 2009, Thieme Verlag: Stuttgart. p. 119-136.
39. Hugo, B., A. Lussi, and P. Hotz, Die Präparation der Schmelzrandschrägung bei approximalen Kavitäten. *Schweiz. Monatsschr. Zahnmed.*, 1992. 102(10): p. 1181-1188.
40. Ikeda, T., et al., Relation of enamel prism orientation to microtensile bond strength. *Am J Dent*, 2002. 15(2): p. 109-13.
41. Shimada, Y. and J. Tagami, Effects of regional enamel and prism orientation on resin bonding. *Oper Dent*, 2003. 28(1): p. 20-7.
42. Heintze, S.D., V. Rousson, and R. Hickel, Clinical effectiveness of direct anterior restorations - a meta-analysis. *Dent Mater*, 2015. 31(5): p. 481-95.
43. Munechika, T., et al., A comparison of the tensile bond strengths of composite resins to longitudinal and transverse sections of enamel prisms in human teeth. *J Dent Res*, 1984. 63(8): p. 1079-82.
44. Crawford, P.J., D.K. Whittaker, and G.M. Owen, The influence of enamel prism orientation on leakage of resin-bonded restorations. *J Oral Rehabil*, 1987. 14(3): p. 283-9.
45. Lutz, E., I. Krejci, and T.R. Oldenburg, Elimination of polymerization stresses at the margins of posterior composite resin restorations: a new restorative technique. *Quintessence Int*, 1986. 17(12): p. 777-84.
46. Fahl, N., Jr. and E.J. Swift, Jr., The invisible Class IV restoration. *J Esthet Dent*, 1989. 1(4): p. 111-3.
47. Fahl, N., Jr., Mastering composite artistry to create anterior masterpieces - part 2. *Journal of Cosmetic Dentistry*, 2011. 26(4): p. 42-55.
48. Lenhard, M., Ästhetische Frontzahnfüllungen mit Komposit. *Quintessenz*, 2004. 55: p. 961-976.
49. Krueger-Janson, U., Eine naturidentische Komposit-Schichttechnik. Komposit ermöglicht kreative Behandlungsstrategien. *Swiss Dental Community*, 2009. 2(5): p. 2-13.
50. Peutzfeldt, A. and E. Asmussen, Composite restorations: influence of flowable and self-curing resin composite linings on microleakage in vitro. *Oper Dent*, 2002. 27(6): p. 569-575.
51. Staninec, M., et al., Interfacial space, marginal leakage, and enamel cracks around composite resins. *Oper Dent*, 1986. 11(1): p. 14-24.
52. Belli, S., et al., The effect of additional enamel etching and a flowable composite to the interfacial integrity of Class II adhesive composite restorations. *Oper Dent*, 2001. 26(1): p. 70-75.
53. Han, L., A. Okamoto, and M. Iwaku, The effects of various clinical factors on marginal enamel micro-cracks produced around composite restoration. *Dent Mater J*, 1992. 11(1): p. 26-37.
54. Van Meerbeek, B., et al., State of the art of self-etch adhesives. *Dent Mater*, 2011. 27(1): p. 17-28.
55. Rotta, M., et al., Effects of phosphoric acid pretreatment and substitution of bonding resin on bonding effectiveness of self-etching systems to enamel. *J Adhes Dent*, 2007. 9(6): p. 537-45.
56. Erickson, R.L., W.W. Barkmeier, and N.S. Kimmes, Bond strength of self-etch adhesives to pre-etched enamel. *Dent Mater*, 2009. 25(10): p. 1187-94.
57. Erickson, R.L., W.W. Barkmeier, and M.A. Latta, The role of etching in bonding to enamel: a comparison of self-etching and etch-and-rinse adhesive systems. *Dent Mater*, 2009. 25(11): p. 1459-67.
58. Barkmeier, W.W., et al., Effect of enamel etching time on roughness and bond strength. *Oper Dent*, 2009. 34(2): p. 217-22.
59. Ertugrul, F., et al., Bond strength of different dentin bonding systems to fluorotic enamel. *J Adhes Dent*, 2009. 11(4): p. 299-303.
60. Tsujimoto, A., et al., The Effect of Phosphoric Acid Pre-etching Times on Bonding Performance and Surface Free Energy with Single-step Self-etch Adhesives. *Oper Dent*, 2016. 41(4): p. 441-9.
61. Rosa, W.L., E. Piva, and A.F. Silva, Bond strength of universal adhesives: A systematic review and meta-analysis. *J Dent*, 2015. 43(7): p. 765-76.
62. McLean, D.E., et al., Enamel Bond Strength of New Universal Adhesive Bonding Agents. *Oper Dent*, 2015. 40(4): p. 410-7.
63. Lenzi, T.L., et al., One-step self-etch adhesive bonding to pre-etched primary and permanent enamel. *J Dent Child (Chic)*, 2013. 80(2): p. 57-61.
64. Batra, C., et al., In vitro bonding effectiveness of three different one-step self-etch adhesives with additional enamel etching. *J Investig Clin Dent*, 2014. 5(3): p. 226-36.
65. Van Landuyt, K.L., et al., Bond strength of a mild self-etch adhesive with and without prior acid-etching. *J Dent*, 2006. 34(1): p. 77-85.
66. Soares, C.J., et al., Effect of previous treatments on bond strength of two self-etching adhesive systems to dental substrate. *J Adhes Dent*, 2007. 9(3): p. 291-6.
67. Hanabusa, M., et al., Bonding effectiveness of a new 'multi-mode' adhesive to enamel and dentine. *J Dent*, 2012. 40(6): p. 475-84.
68. de Goes, M.F., M.S. Shinohara, and M.S. Freitas, Performance of a new one-step multi-mode adhesive on etched vs non-etched enamel on bond strength and interfacial morphology. *J Adhes Dent*, 2014. 16(3): p. 243-50.

69. Dietschi, D., S. Ardu, and I. Krejci, A new shading concept based on natural tooth color applied to direct composite restorations. *Quintessence Int*, 2006. 37(2): p. 91-102.
70. Fahl, N., Jr., A polychromatic composite layering approach for solving a complex Class IV/direct veneer/diastema combination: Part II. *Pract Proced Aesthet Dent*, 2007. 19(1): p. 17-22.
71. Manhart, J., Ästhetische Restitution im Frontzahnbereich mit plastischen Füllungen. *Quintessenz*, 2003. 54: p. 143-149.
72. Hugo, B., Optimale Approximalkontakte: Neue approximale Matrizen- und Aufbautechnik bei Frontzahnfüllungen. *Ästhetische Zahnmedizin*, 2001. 4(3): p. 142-150.
73. Kläiber, B., Alles noninvasiv - Zahnformveränderung, Lückenschluss, Reduktion schwarzer Dreiecke Zahnärztliche Mitteilungen, 2006. 96(10): p. 52-59.
74. Willhite, C., Diastema closure with freehand composite: controlling emergence contour. *Quintessence Int*, 2005. 36(2): p. 138-40.
75. Lührs, A.K., Diastemaschluss mittels direkter Technik im Frontzahnbereich. *Deutsche Zahnärztliche Zeitschrift*, 2011. 66(9): p. 628-635.
76. Dietschi, D., Schichtkonzepte für Kompositrestaurationen im Frontzahnbereich. *Quintessenz*, 2001. 52: p. 669-678.
77. Ardu, S. and I. Krejci, Biomimetic direct composite stratification technique for the restoration of anterior teeth. *Quintessence Int*, 2006. 37(3): p. 167-74.
78. LeSage, B.P., Aesthetic anterior composite restorations: a guide to direct placement. *Dent Clin North Am*, 2007. 51(2): p. 359-78, viii.
79. Manhart, J., Direkte Restaurationen im Frontzahnbereich (Teil 2) - Präparation und Restauration mit modernen Kompositssystemen. *Zahnärzteblatt Baden-Württemberg*, 2016. 44(8): p. 32-38.
80. Blank, J.T., Simplified techniques for the placement of stratified polychromatic anterior and posterior direct composite restorations. *Compend Contin Educ Dent*, 2003. 24(2 Suppl): p. 19-25.
81. Terry, D.A., et al., Anatomical form defines color: function, form, and aesthetics. *Pract Proced Aesthet Dent*, 2002. 14(1): p. 59-67; quiz 68.