

Immediate restoration of post-extraction implants using BioHPP Elegance

Complex treatment processes in a single session

JOSÉ EDUARDO MATÉ SÁNCHEZ DE VAL

Literature

1. Becker W, Becker BE, Alsuwyed A, Al-Mubarak S. Long-term evaluation of 282 implants in maxillary and mandibular molar positions: a prospective study. *J Periodontol.* 1999;70:896–901. doi: 10.1902/jop.1999.70.8.896.
2. Choi SJ, Yoo JH, Lee KB, Kim JW. The success rate of Mg-incorporated oxidized implants in partially edentulous patients: a prospective clinical study. *J Korean Acad Prosthodont.* 2012;50:176–183. doi: 10.4047/jkap.2012.50.3.176
3. Immediate vs non-immediate loading post-extractive implants: a comparative study of implant stability quotient (ISQ). Milillo L, Fiandaca C, Giannoulis F, Ottria L, Lucchese A, Silvestre F, Petruzzi M. *Oral Implantol (Rome).* 2016 Nov 13;9(3):123-131. doi: 10.11138/orl/2016.9.3.123.
4. Assessing the implant/bone interface by using natural frequency analysis. Huang HM, Pan LC, Lee SY, Chiu CL, Fan KH, Ho KN; *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2000 Sep; 90(3):285-91.
5. Mechanical behavior of provisional implant prosthetic abutments. Rubén Agustín-Panadero, Blanca Serra-Pastor, Ana Roig-Vanaclocha, Juan-Luis Román-Rodríguez, Antonio Fons-Font *Med Oral Patol Oral Cir Bucal.* 2015 Jan; 20(1): e94–e102. Published online 2014 Aug 17. doi: 10.4317/medoral.19958
6. Peri-implant tissue behavior around non-titanium material: Experimental study in dogs. Maté Sánchez de Val JE, Gómez-Moreno G, Pérez-Albacete Martínez C, Ramírez-Fernández MP, Granero-Marín JM, Gehrke SA, Calvo-Guirado JL. *Ann Anat.* 2016 Jul;206:104-9. doi: 10.1016/j.aanat.2016.03.005.
7. Primary and Secondary Stability of Implants in Postextraction and Healed Sites: A Randomized Controlled Clinical Trial. Malchiodi L, Balzani L, Cucchi A, Ghensi P, Nocini PF. *Int J Oral Maxillofac Implants.* 2016 Nov/Dec;31(6):1435-1443. doi: 10.11607/jomi.4710.
8. Treatment of Postextraction Sites With Allograft-Stabilized Dental Implants: A Clinical Case Series. Bianconi S, Bozzoli P, Del Fabbro M. *Implant Dent.* 2017 Feb;26(1):37-45. doi: 10.1097/ID.0000000000000484.
9. Immediate Loading of Tapered Implants Placed in Postextraction Sockets and Healed Sites. Han CH, Mangano F, Mortellaro C, Park KB. *J Craniofac Surg.* 2016 Jul;27(5):1220-7. doi: 10.1097/SCS.0000000000002756.
10. Selection and ideal tridimensional implant position for soft tissue aesthetics. Saadoun AP, LeGall M, Touati B. *Pract Periodontics Aesthet Dent.* 1999 Nov-Dec;11(9):1063-72; quiz 1074.
11. Immediate loading of an implant with fine threaded neck-bone resorption and clinical outcome of single tooth restorations in the maxilla. Blaszczyzyn A, Heinemann F, Gedrange T, Kawala B, Gerber H, Dominiak M. *Biomed Tech (Berl).* 2012 Jan 9;57(1):3-9. doi: 10.1515/bmt-2011-0037.
12. Esthetic assessment of immediately restored implants combined with GBR and free connective tissue graft. Kolerman R, Nissan J, Mijiritsky E, Hamoudi N, Mangano C, Tal H. *Clin Oral Implants Res.* 2016 Nov;27(11):1414-1422. doi: 10.1111/clr.12755.
13. Marginal healing using Polyetheretherketone as healing abutments: an experimental study in dogs. Rea M, Ricci S, Ghensi P, Lang NP, Botticelli D, Soldini C. *Clin Oral Implants Res.* 2016 Apr 15. doi: 10.1111/clr.12854. [Epub ahead of print]

