

Auswahl von Materialien in der restaurativen Zahnheilkunde

Socket Preservation neu interpretiert

Ein Beitrag von Dr. Gernot Mörig, Robert Svoboda, Dr. Laura Podolsky, M.Sc.

Literaturangabe

- [1] Amato F, Mirabella D, Macca U, Tarnow DP: Implant Site Development by Orthodontic Forced Extraction: A Preliminary Study. *I J of Oral & Maxillofac Implants* 2012. Number 2, 27:411-420
- [2] Araujo MG, Lindhe J Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *J Clin Periodontol* 2005; 32: 212-218
- [3] Bäumer M, Kretschmar S Die anteriore Implantatversorgung – wie ein natürlicher Zahn. *ZMK, Jg 28, 6*, 384-393
- [4] Bayerlein T, Proff P, Fanghänel J, Kauschke E, Rumpel E, Gerike W, Bienengräber V, Gedrange T: Wound management after the application of bone grafting substitutes in the orofacial region. *Folia Morphol (Warsz)* 2006; 65 (1): 89-91
- [5] Becker K, Drescher D, Hönscheid R., Golubovic V., Mihatovic I., Schwarz F.: Biomechanical, micro-computed tomographic and immunohistochemical analysis of early osseous integration at titanium implants placed following lateral ridge augmentation using extracted tooth roots. *Clin Oral Implants Res.* 2016 Mar 29.
- [6] Bondemark Ll., Kurol J, Hallonsten AL., Andreasen JO.: Attractive magnets for orthodontic extrusion of crown-root fractured teeth. *Am J Orthod Dentofacial Orthop.* 1997 Aug;112(2):187-93.
- [7] Celenza F The development of forced eruption as a modality for implant site enhancement. *Alpha Omegaan* 1997; 90: 40-43
- [8] Chen ST, Buser D.: Esthetic outcomes following immediate and early implant placement in the anterior maxilla-a systematic review. *Int J Oral Maxillofac Implants.* 2014;29 Suppl:186-215.
- [9] Filippi A., Zahntransplantation. Biologischer Zahnersatz für Kinder, Jugendliche und manche Erwachsene. Berlin: Quintessenz, 2009
- [10] Hanser T, Khouri F.: Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: a 5-year consecutive clinical study. *Int J Periodontics Restorative Dent.* 2014 May-Jun;34(3):305-12.
- [11] Houston F, Sarhed G, Nyman S, Lindhe J, Karring T: Healing after root reimplantation in the monkey. *J Clin Periodontol* 1985; 12: 716-727
- [12] Hürzeler MB, Zuh O, Schupbach P, Rebele SF, Emmanouilidis N., Fickl S.: The socket-shield technique: a proof-of-principle report. *J Clin Periodontol.* 2010 Sep;37(9):855-62.
- [13] Kajiyama K, Murakami T, Yokota S: Gingival reactions after experimentally induced extrusion of the upper incisors in monkeys. *Am J Orthod Dentofac Orthop* 1993; 104(1): 36-47
- [14] Kern M., Kerschbaum, Th.: DGZMK Adhäsivbrücken DZZ 62 (09) 2007
- [15] Kim YK., Kim SG., Yun PY., Yeo IS., Jin SC., Oh JS., Kim HJ., Yu SK., Lee SY., Kim JS., Um IW., Jeong MA., Kim GW.: Autogenous teeth used for bone grafting: a comparison with traditional grafting materials. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2014 Jan;117(1):e39-45.
- [16] Kuchler U, von Arx T.: Horizontal ridge augmentation in conjunction with or prior to implant placement in the anterior maxilla: a systematic review. *Int J Oral Maxillofac Implants.* 2014;29 Suppl:14-24.
- [17] Maiorana C, Speroni S, Herford AS, Cicciu M.: Schonende Zahnentfernung zur Verbesserung der parodontalen Hart- und Weichgewebssituation vor Implantatinsertion im ästhetisch sichtbaren Bereich mittels schrittweiser kieferorthopädischer Extrusion. *Open dent J.* 2012;6:137-142
- [18] Mardras N., Trullenque-Eriksson A., MacBeth N., Petrie A., Donos N.: Does ridge preservation following tooth extraction improve implant treatment outcomes: a systematic review: Group 4: Therapeutic concepts & methods. *Clin Oral Implants Res.* 2015 Sep; 26 Suppl 11:180-201.
- [19] Morjaria KR, Wilson R, Palmer RM: Knochenheilung nach Zahnxtraktion mit und ohne Augmentative maßnahmen: Ein systematischer Review anhand randomisiert kontrollierter Studien. *Clin Implant Dent Relat Res.* 2012 Mar 8
- [20] Neumeyer S, Wachtel H: Die Replantation und orthodontische Extrusion hoch resezierter Zähne. *Quintessenz* 2009;60:1141-1149
- [21] Neumeyer S, Regeneration und Erhalt parodontaler Gewebestrukturen durch orthodontische Extrusionstechniken – eine Literaturübersicht unterstützt durch eigene klinische Fallanalysen-. Masterthese MOP Freiburg 2010
- [22] Schwarz F., Golubovic V., Becker K., Mihatovic I.: Extracted tooth roots used for lateral alveolar ridge augmentation: a proof-of-concept study. *J Clin Periodontol.* 2016 Apr;43(4):345-53
- [23] Szmkler-Moncler S., Davarpanah M., Davarpanah K., Capelle-Ouadah N., Demurashvili G., Rajzbaum P.: Unconventional Implant Placement Part III: Implant Placement Encroaching upon Residual Roots - A Report of Six Cases. *Clin Implant Dent Relat Res.* 2015 Oct; 17 Suppl 2:e396-405
- [24] Urban IA, Monje A, Nevins M, Nevins ML, Lozada JL, Wang HL.: Surgical Management of Significant Maxillary Anterior Vertical Ridge Defects. *Int J Periodontics Restorative Dent.* 2016 May-Jun;36(3):329-37.
- [25] Wilmes B, Drescher D.: Vertical periodontal ligament distraction--a new method for aligning ankylosed and displaced canines. *J Orofac Orthop.* 2009 May;70(3):213-23.

