

Neue Materialien vereinen Wirtschaftlichkeit und Qualität

Warum CAD/CAM-Restau- rationen aus Komposit im Praxisalltag überzeugen

Ein Beitrag von Dr. Felipe Moura

Literaturangabe

- (1) Beuer F, Schweiger J, Edelhoff D (2008). Digital dentistry: an overview of recent developments for CAD/CAM generated restorations. *Br Dent J* 204:505-511.
- (2) Tsitrou EA, Northeast SE, van Noort R (2007). Brittleness index of machinable dental materials and its relation to the marginal chipping factor. *J Dent* 35:897-902.
- (3) Magne P, Knezevic A (2009). Simulated fatigue resistance of composite resin versus porcelain CAD/CAM overlay restorations on endodontically treated molars. *Quintessence Int* 40:125-133.
- (4) Phan AC, Tang ML, Nguyen JF, Ruse ND, Sadoun M (2014). High-temperature high-pressure polymerized urethane dimethacrylate—mechanical properties and monomer release. *Dent Mater* 30:350-356.
- (5) Nguyen JF, Migonney V, Ruse ND, Sadoun M (2012). Resin composite blocks via high-pressure high-temperature polymerization. *Dent Mater* 28:592-594.
- (6) Nguyen JF, Migonney V, Ruse ND, Sadoun M (2013). Properties of experimental urethane dimethacrylate-based dental resin composite blocks obtained via thermo-polymerization under high pressure. *Dent Mater* 29:535-541.
- (7) Discoloration of various CAD/CAM blocks after immersion in coffee. Lauvahutanon S₁, Shiozawa M₂, Takahashi H₃, Iwasaki N₃, Oki M₄, Finger WJ₅, Arksornnukit M₁. 2016

