

Zygomatic implants for graftless treatment of severe maxillary resorption

High primary stability for immediate function

NOBEL BIO CARE

Literature

1. Davo R, Pons O. 5-year outcome of cross-arch prostheses supported by four immediately loaded zygomatic implants: A prospective case series. *Eur J Oral Implantol* 2015;8(2):169-74.
2. Balshi TJ, Wolfinger GJ, Shuscavage NJ, Balshi SF. Zygomatic Bone-to-Implant Contact in 77 Patients With Partially or Completely Edentulous Maxillas. *J Oral Maxillofac Surg* 2012;70(9):2065-9.
3. Aparicio, C., Manresa, C., Francisco, K., Ouazzani, W., Claros, P. and Potau, J. M. (2014). The Long-Term Use of Zygomatic Implants: A 10-Year Clinical and Radiographic Report, *Clin Implant Dent Relat Res*, 16, 3, Oct 18, 447–459
4. Farzad P, Andersson L, Gunnarsson S, Johansson B. Rehabilitation of severely resorbed maxillae with zygomatic implants: an evaluation of implant stability, tissue conditions, and patients' opinion before and after treatment. *Int J Oral Maxillofac Implants* 2006;21(3):399-404.
5. Aparicio C, Ouazzani W, Aparicio A, Fortes V, Muela R, Pascual A, Codesal M, Barluenga N, Manresa C, Franch M. Extrasinus zygomatic implants: three year experience from a new surgical approach for patients with pronounced buccal concavities in the edentulous maxilla. *Clin Implant Dent Relat Res*. 2010 Mar;12(1):55-61.
6. Malo, P., et al. (2008). "A new approach to rehabilitate the severely atrophic maxilla using extramaxillary anchored implants in immediate function: a pilot study." *J Prosthet Dent* 100(5): 354-366.