

creos regenerative solutions

Designed by nature, developed for clinicians

NOBEL BIOCARE

Literature

1. Ho-Nam Park , Sang Hyuk Han, Kyoung-Hwa Kim, Sang-Chul Lee, Yoon-Jeong Park, Sang-Hoon Lee, et.al. A study on the safety and efficacy of bovine bone-derived bone graft material (OCS-B). *J Korean Acad Periodontol.* 2005 Jun;35(2):335-343
2. Jun-Beom Park , You-Jeong Hwang , Yang-Jo Seol , Yong-Moo Lee , Tae-II Kim, Young Ku, et.al. Maxillary sinus floor augmentation using deproteinized bovine bone-derived bone graft material (OCS-B). *Clinical and histologic findings in human. The Journal of the Korean Dental Association.* 2007; 45(8): 491-499
3. Seung-Yun Shin, You-Jeong Hwang, Jung-Hoon Kim, Yang-Jo Seol. Long-term results of new deproteinized bovine bone material in a maxillary sinus graft procedure. *J Periodontal Implant Sci* 2014; 44:259-264
4. Data on file NIBEC Biocompatibility tests: OCS-B and OCS-B Collagen
5. Data on file NIBEC
6. Data on file Nobel Biocare Material properties of creos xenogain/biomaterials TER 147668
7. Vassilios Kyriazis, Margaret Tzaphlidou. Skeletal Calcium/Phosphorus Ratio Measuring Techniques and Results. I. *Microscopy and Microtomography. The Scientific World Journal.* 2004; 4: 1027-1034
8. Data on file NIBEC Atomic emission spectrometry analysis
9. Arrighi I, Wessing B, Rieben A, De Haller E. Resorbable Collagen Membranes Expansion In Vitro. *J. Dent. Res* 93 (Spec Iss B):#631, 2014.
10. Gasser A, Wessing B, Eummelen L, Bühren A, Leemhuis H. Mechanical stability of collagen membranes: an in vitro study. *J Dent Res* 95 (Spec Iss A): Abstract #1683, 20 16 (www.iadr.org)
11. Bozkurt A, Apel C, Sellhaus B, van Neerven S, Wessing B, Hilgers RD, Pallua N. Differences in degradation behavior of two non-cross-linked collagen barrier membranes: an in vitro and in vivo study. *Clin Oral Implants Res.* 2014 Dec; 25(12):1403-11.