

Aspekte aus Sicht der Hochschule

Weniger ist nicht mehr!

Dr. Kerstin Theisen



Literaturangabe

- [1] Calderon et al 2014
- [2] Ferrigno N, Laureti M, Fanali S, Grippaudo G.: A long-term follow-up study of non-submerged ITI implants in the treatment of totally edentulous jaws. Part I: Ten-year life table analysis of a prospective multicenter study with 1286 implants. *Clin Oral Implants Res.* 2002 Jun;13(3):260-73.
- [3] Gallucci GO, Avrampou M, Taylor JC, Elpers J, Thalji G, Cooper LF: Maxillary Implant-Supported Fixed Prosthesis: A Survey of Reviews and Key Variables for Treatment Planning. *Int J Oral Maxillofac Implants.* 2016;31 Suppl:s192-7. doi: 10.11607/jomi.16suppl.g5.3.
- [4] Heydecke et al. 2012
- [5] Kern JS, Kern T, Wolfart S, Heussen N: A systematic review and meta-analysis of removable and fixed implant-supported prostheses in edentulous jaws: post-loading implant loss. *Clin Oral Implants Res.* 2016 Feb;27(2):174-95. doi: 10.1111/clr.12531.
- [6] Mericske-Stern R, Worni A.: Optimal number of oral implants for fixed reconstructions: a review of the literature. *Eur J Oral Implantol.* 2014 Summer;7 Suppl 2:S133-53.
- [7] Rocuzzo M, Bonino F, Gaudioso L, Zwahlen M, Meijer HJA: What is the optimal number of implants for removable reconstructions? A systematic review on implant-supported overdentures. *Clin. Oral Implants Res.* 23(Suppl. 6), 2012, 229–237 doi: 10.1111/j.1600-0501.2012.02544.x Heydecke G, Zwahlen M, Nicol A, Nisand D, Payer M, Renouard F, Grohmann P, Mühlmann S, Joda T: What is the optimal number of implants for fixed reconstructions: a systematic review. *Clin. Oral Implants Res.* 23(Suppl. 6), 2012, 217–228 doi: 10.1111/j.1600-0501.2012.02548.x
- [8] Slot W, Raghoebar GM, Cune MS, Vissink A, Meijer HJA: Maxillary overdentures supported by four or six implants in the anterior region: 5 year results from a randomized controlled trial. *Journal of Clinical Periodontology.* 2016;43(12):1180-1187. doi:10.1111/jcpe.12625.