

Augmentation with a CAD/CAM titanium lattice structure in the anterior mandible

Promoting regeneration

DR MARCUS SEILER, DR MICHAEL PEETZ, DR AMELY HARTMANN

Literature

1. Liu, J. and D.G. Kerns, Mechanisms of guided bone regeneration: a review. *Open Dent J*, 2014. 8: p. 56-65.
2. Nyman, S., et al., Bone regeneration adjacent to titanium dental implants using guided tissue regeneration: a report of two cases. *Int J Oral Maxillofac Implants*, 1990. 5(1): p. 9-14.
3. Jung, R.E., et al., A randomized, controlled clinical trial to evaluate a new membrane for guided bone regeneration around dental implants. *Clin Oral Implants Res*, 2009. 20(2): p. 162-8.
4. Merli, M., et al., Fence technique: guided bone regeneration for extensive three-dimensional augmentation. *Int J Periodontics Restorative Dent*, 2013. 33(2): p. 129-36.
5. Hammerle, C.H., R.E. Jung, and A. Feloutzis, A systematic review of the survival of implants in bone sites augmented with barrier membranes (guided bone regeneration) in partially edentulous patients. *J Clin Periodontol*, 2002. 29 Suppl 3: p. 226-31; discussion 232-3.
6. Urban, I.A., S.A. Jovanovic, and J.L. Lozada, Vertical ridge augmentation using guided bone regeneration (GBR) in three clinical scenarios prior to implant placement: a retrospective study of 35 patients 12 to 72 months after loading. *Int J Oral Maxillofac Implants*, 2009. 24(3): p. 502-10.
7. Jung, G.U., et al., Preliminary evaluation of a three-dimensional, customized, and preformed titanium mesh in peri-implant alveolar bone regeneration. *J Korean Assoc Oral Maxillofac Surg*, 2014. 40(4): p. 181-7.