

Digital workflows in the production of implant superstructures

CAD/CAM technology in the implant/restorative workflow

Dr Steffen Kistler, Dr Frank Kistler, Jo Miller, Stephan Adler And Dr Jörg Neugebauer, PhD



References

- Abduo J, Lyons K. Rationale for the use of CAD/CAM technology in implant prosthodontics. *Int J Dent* 2013; 2013: 768121.
- Beuer F, Aggstaller H, Edelhoff D et al. Marginal and internal fits of fixed dental prostheses zirconia retainers. *Dental materials : official publication of the Academy of Dental Materials* 2009; 25: 94-102.
- Beuer F, Korczynski N, Rezac A et al. Marginal and internal fit of zirconia based fixed dental prostheses fabricated with different concepts. *Clin Cosmet Investig Dent* 2010; 2: 5-11.
- Happe A, Körner G, Rothamel D. Zur Problematik von submukösen Zementresten bei implantologischen Suprastrukturen und der Indikation individueller Abutments. *Implantologie* 2011; 19: 161-169.
- Harder S, Kern M. Survival and complications of computer aided-designing and computer-aided manufacturing vs. conventionally fabricated implant-supported reconstructions: a systematic review. *Clinical oral implants research* 2009; 20 Suppl 4: 48-54.
- Holt LR, Drake B. The Procera Maryland Bridge: a case report. *Journal of esthetic and restorative dentistry : official publication of the American Academy of Esthetic Dentistry ... [et al.]* 2008; 20: 165-171.
- Jensen SS, Bornstein MM, Dard M et al. Comparative study of biphasic calcium phosphates with different HA/TCP ratios in mandibular bone defects. A long-term histomorphometric study in minipigs. *J Biomed Mater Res B Appl Biomater* 2008.
- Kapos T, Ashy LM, Gallucci GO et al. Computer-aided design and computer-assisted manufacturing in prosthetic implant dentistry. *The International journal of oral & maxillofacial implants* 2009; 24 Suppl: 110-117.
- Kistler S, Kistler F, Pfeifer K et al. Die provisorische Versorgung von zahnbegrenzten Lücken - CAD/CAM gefertigte Klebebrücke als Provisorium. *BZB* 2015; 53: 56-59.
- McArdle BF. Creating natural gingival profiles using the ovate pontic technique. *Dent Today* 2004; 23: 97-98, 100-101; quiz 101.
- Neugebauer J, Adler S, Kistler F et al. Der Einsatz von Kunststoffen bei der festsitzenden prothetischen Implantatversorgung. *ZWR Das Deutsche Zahnärzteblatt* 2013; 122: 242-245.
- Pommer B, Hof M, Fadler A et al. Primary implant stability in the atrophic sinus floor of human cadaver maxillae: impact of residual ridge height, bone density, and implant diameter. *Clin Oral Implants Res* 2014; 25: e109-113.
- Salvi GE, Bragger U. Mechanical and technical risks in implant therapy. *The International journal of oral & maxillofacial implants* 2009; 24 Suppl: 69-85.
- Scherer P, Neugebauer J, Karapetian VE et al. Initial therapy of peri-implantitis by anti-microbial photodynamic therapy. In 20th congress Association of Dental Implantology, Birmingham , UK: May 3-5, 2007.
- Schrott A, Riggi-Heiniger M, Maruo K et al. Implant loading protocols for partially edentulous patients with extended edentulous sites--a systematic review and meta-analysis. *Int J Oral Maxillofac Implants* 2014; 29 Suppl: 239-255.
- Seelbach P, Brueckel C, Wostmann B. Accuracy of digital and conventional impression techniques and workflow. *Clin Oral Investig* 2013; 17: 1759-1764.
- Slagter KW, den Hartog L, Bakker NA et al. Immediate placement of dental implants in the esthetic zone: a systematic review and pooled analysis. *J Periodontol* 2014; 85: e241-250.