

Schnittstelle Parodontologie und Prothetik: Vor- und Nachteile möglicher Therapieoptionen

Perio-Prothetik

Ein Beitrag von PD Dr. Amelie Meyer-Bäumer, M.Sc., und Dr. Gerd Körner, Bielefeld/Deutschland

Literaturangabe

- [1] Araújo, M.G. und Lindhe, J. (2005) Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *Journal of Clinical Periodontology* 32(2): 212-8.
- [2] Bäumer, A., El Sayed, N., Kim, T.-S., Reitmeir, P., Eickholz, P. & Pretzl, B. (2011) Patient-related risk factors for tooth loss in aggressive periodontitis after active periodontal therapy. *Journal of Clinical Periodontology* 38, 347-54.
- [3] Becker, W., Berg, L. & Becker, B. (1984) The long term evaluation of periodontal treatment and maintenance in 95 patients. *International Journal of Periodontics & Restorative Dentistry* 4, 54-71.
- [4] Cardaropoli, G., Araújo, M., Lindhe, J. (2003) Dynamics of bone tissue formation in tooth extraction sites. An experimental study in dogs. *Journal of Clinical Periodontology* 30(9):809-18.
- [5] Coachman, C., Van Dooren, E., Calamita, M.A. (2013) Smile Design and The Pink Hybrid Restoration The prosthetic solution for ridge deficiency. *Canadian Journal of Restorative Dentistry & Prosthodontics* 6(3): 8-22.
- [6] Eickholz, P., Kaltschmitt, J., Berbig, J., Reitmeir, P. & Pretzl, B. (2008) Tooth loss after active periodontal therapy. 1: patient-related factors for risk, prognosis, and quality of outcome. *Journal of Clinical Periodontology* 35, 165-174.
- [7] Frese, C., Schiller, P., Staehle, H.J., Wolff, D. (2013) Recountouring teeth and closing diastemas with direct composite buildups: a 5-year follow-up. *Journal of Dentistry* 41(11): 979-985.
- [8] Krigar, D., Dannowitz, B., Eickholz, P. (2004) Glossar der Grundbegriffe für die Praxis. Die flexible Gingivaepithese – Indikationen und Herstellung. *Parodontologie*, 15/1: 63-70.
- [9] Lang, N. P. & Tonetti, M. S. (2003) Periodontal risk assessment (PRA) for patients in supportive periodontal therapy (SPT). *Oral Health and Preventive Dent* 1, 7-16.
- [10] Lekholm & Zarb (1985) Lekholm U, Zarb G.A. (1985). Patient selection and preparation. In: Branemark PI, Zarb GA, Albrektsson T, editors. *Tissue-integrated prostheses: osseointegration in clinical dentistry*. pp. 199-209, Chicago: Quintessence.
- [11] Matuliene, G., Studer, R., Lang, N. P., Schmidlin, K., Pjetursson, B. E., Salvi, G. E., Brägger, U. & Zwahlen, M. (2010) Significance of periodontal risk assessment in the recurrence of periodontitis and tooth loss. *Journal of Clinical Periodontology* 37, 191-199.
- [12] Nossek, H. (1963) Die Zahnfleischepithese aus weichbleibendem Kunststoff als therapeutischer und ästhetischer Dauerverband. *Deutsche Stomatologie* 13: 282-289.
- [13] Pontoriero, R., Carnevale, G. (2001) Surgical crown lengthening: A 12-month clinical wound healing study, *Journal of Periodontology* 72: 841-48.
- [14] Tarnow, D.P., Magner, A.W., Flechter, P. (1992) The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla. *Journal of Periodontology* 63(12): 995-996.