

Vorschlag eines neuen Protokolls unter Verwendung eines neuen Polymertyps

Sofortbelastungskonzept für den zahnlosen Kiefer

Ein Beitrag von Dr. Giovanni Ghirlanda, DDS, und Carlo Baroncini, beide Rom/Italien



Literaturangabe

- [1] Albrektsson T, Branemark PI, Hansson HA, Lindström J. Osseointegrated titanium implants. Requirements for ensuring a long-lasting, direct bone-to-implant anchorage in man. Acta Orthop Scand 1981;52:155-170.
- [2] Nkenke E, Fenner M. Indications for immediate loading of implants and implant success. Clin Oral Implants Res 2006;17(suppl):19-34.
- [3] Dierens M, Collaert B, Deschepper E, Browaeys H, Klinge B, De Bruyn H. Patient-centered outcome of immediately loaded implants in the rehabilitation of fully edentulous jaws. Clin. Oral Impl. Res. 20, 2009; 1070-1077. doi: 10.1111/j.1600-0501.2009.01741.x
- [4] Chiapasco M. Early and immediate restoration and loading of implants in completely edentulous patients. Int J Oral Maxillofac Implants 2004;19(suppl):76-91.
- [5] Attard NJ, Zarb GA. Immediate and early implant loading protocols: A literature review of clinical studies. J Prosthet Dent 2005;94:242-258.
- [6] Esposito M, Grusovin MG, Willings M, Coulthard P, Worthington HV. The effectiveness of immediate, early, and conventional loading of dental implants: A Cochrane systematic review of randomized controlled clinical trials. Int J Oral Maxillofac Implants 2007;22:893-904.
- [7] German O, Gallucci, DMD, Dr Med Dent Loading Protocols for Dental Implants in Edentulous Patients Int J Oral Maxillofac Implants 2009;24(SUPPL):132-146
- [8] Maria Erkapers, DDS/Karl Ekstrand, DDS, MS/Russell A. Baer, DDS/Joseph A. Toljanic, DDS/Andreas Thor, DDS, PhD. Patient Satisfaction Following Dental Implant Treatment with Immediate Loading in the Edentulous Atrophic Maxilla Int J oral maxillofac implants volume 26, Issue 2 March/April 2011 Pages 356-364
- [9] Ottoni JM, Oliveira ZF, Mansini R, Cabral AM. Correlation between placement torque and survival of single-tooth implants. Int J Oral Maxillofac Implants. 2005 Sep/Oct;20(5):769-76
- [10] Nikellis I, Levi A, Nicolopoulos C. Immediate loading of 190 endosseous dental implants: a prospective observational study of 40 patient treatments with up to 2-year data. Int J Oral Maxillofac Implants 2004; 19: 116-123.
- [11] Malo P, Rangert B, Nobre M. All-on-4 immediate-function concept with Brånemark System implants for completely edentulous maxillae: A 1-year retrospective clinical study. Clin Implant Dent Relat Res 2005;7(suppl 1):S88-S94