

ODV Wissenschaftspreis 2016: Zusammenfassung der Gewinnerarbeit von DDr. Ulrike Kuchler et al.

Implantatstabilität bei simultaner Sinusbodenelevation



Literaturangabe

- [1] Buser, D., Janner, S.F., Wittneben, J.G., Bragger, U., Ramseier, C.A. & Salvi, G.E. (2012) 10-year survival and success rates of 511 titanium implants with a sandblasted and acid-etched surface: a retrospective study in 303 partially edentulous patients. *Clinical Implant Dentistry and Related Research* 14: 839-851.
- [2] Degidi, M., Nardi, D. & Piattelli, A. (2012) 10-year follow-up of immediately loaded implants with TiUnite porous anodized surface. *Clinical Implant Dentistry and Related Research* 14: 828-838.
- [3] Mertens, C., Steveling, H.G., Stucke, K., Pretzl, B. & Meyer-Baumer, A. (2012) Fixed implant-retained rehabilitation of the edentulous maxilla: 11-year results of a prospective study. *Clinical Implant Dentistry and Related Research* 14: 816-827.
- [4] Fischer, K. & Stenberg, T. (2012) Prospective 10-year cohort study based on a randomized controlled trial (RCT) on implant-supported full-arch maxillary prostheses. Part 1: sandblasted and acid-etched implants and mucosal tissue. *Clinical Implant Dentistry and Related Research* 14: 808-815.
- [5] Adell, R., Lekholm, U., Rockler, B. & Branemark, P.I. (1981) A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *International Journal of Oral Surgery* 10: 387-416.
- [6] Schroeder, A., van der Zypen, E., Stich, H. & Sutter, F. (1981) The reactions of bone, connective tissue, and epithelium to endosteal implants with titanium-sprayed surface. *Journal of Maxillofacial Surgery* 9: 15-25.
- [7] Papaspyridakos, P., Mokti, M., Chen, C.J., Benic, G.I., Gallucci, G.O. & Chronopoulos, V. (2014) Implant and prosthodontic survival rates with implant fixed complete dental prostheses in the edentulous mandible after at least 5 years: a systematic review. *Clinical Implant Dentistry and Related Research* 16: 705-717.
- [8] Morton, D., Bornstein, M.M., Wittneben, J.G., Martin, W.C., Ruskin, J.D., Hart, C.N. & Buser, D. (2010) Early loading after 21 days of healing of nonsubmerged titanium implants with a chemically modified sandblasted and acid-etched surface: two-year results of a prospective two-center study. *Clinical Implant Dentistry and Related Research* 12: 9-17.
- [9] Bornstein, M.M., Wittneben, J.G., Bragger, U. & Buser, D. (2010) Early loading at 21 days of non-submerged titanium implants with a chemically modified sandblasted and acid-etched surface: 3-year results of a prospective study in the posterior mandible. *Journal of Periodontology* 81: 809-818.
- [10] Del Fabbro, M., Wallace, S.S., & Testori, T. (2013) Long-term implant survival in the grafted maxillary sinus: a systematic review. *International Journal of Periodontics and Restorative Dentistry* 33: 773-783.
- [11] Checchi, L., Felice, P., Antonini, E.S., Cosci, F., Pellegrino, G. & Esposito, M. (2010) Crestal sinus lift for implant rehabilitation: a randomised clinical trial comparing the Cosci and the Summers techniques. A preliminary report on complications and patient preference. *European journal of Oral Implantology* 3: 221-232.
- [12] Kahnberg, K.E., Wallstrom, M. & Rasmusson, L. (2011) Local sinus lift for single-tooth implant. I: clinical and radiographic follow-up. *Clinical Implant Dentistry and Related Research* 13: 231-237.
- [13] Rasmusson, L., Thor, A. & Sennerby, L. (2012) Stability evaluation of implants integrated in grafted and nongrafted maxillary bone: a clinical study from implant placement to abutment connection. *Clinical Implant Dentistry and Related Research* 14: 61-66.
- [14] Meredith, N., Alleyne, D. & Cawley, P. (1996) Quantitative determination of the stability of the implant-tissue interface using resonance frequency analysis. *Clinical Oral Implants Research* 7: 261-267.
- [15] Sennerby, L. & Meredith, N. (2008) Implant stability measurements using resonance frequency analysis: biological and biomechanical aspects and clinical implications. *Periodontology* 2000 47: 51-66.
- [16] Valderrama, P., Oates, T.W., Jones, A.A., Simpson, J., Schoolfield, J.D. & Cochran, D.L. (2007) Evaluation of two different resonance frequency devices to detect implant stability: A clinical trial. *Journal of Periodontology* 78:262-272.
- [17] Fischer, K., Backstrom, M. & Sennerby, L. (2009) Immediate and early loading of oxidized tapered implants in the partially edentulous maxilla: a 1-year prospective clinical, radiographic, and resonance frequency analysis study. *Clinical Implant Dentistry and Related Research* 11: 69-80.
- [18] Sim, C.P. & Lang, N.P. (2010) Factors influencing resonance frequency analysis assessed by Osstell mentor during implant tissue integration: I. Instrument positioning, bone structure, implant length. *Clinical Oral Implants Research* 21: 598-604.
- [19] Simunek, A., Kopecka, D., Brazda, T., Strnad, I., Capek, L. & Slezak, R. (2012) Development of implant stability during early healing of immediately loaded implants. *International Journal of Oral and Maxillofacial Implants* 27: 619-627.