

Implantatprothetische Behandlung im zahnlosen Kiefer mit dem Sofortversorgungskonzept All-on-4

# Restauration bei einer Angstpatientin

Ein Beitrag von Dr. Roberto Sleiter und Vittorio Procopio, Egerkingen, sowie Nando Aeschlimann, Zürich



## Literaturangabe

- [1] Agliardi E, Clerico M, Ciancio P, Massironi D: Immediate loading of full-arch fixed prostheses supported by axial and tilted implants for the treatment of edentulous atrophic mandibles. Quintessence Int 2010;41:285-293
- [2] Agliardi EL, Pozzi A, Stappert CF, Benzi R, Romeo D, Gherlone E. Immediate fixed rehabilitation of the edentulous maxilla: a prospective clinical and radiological study after 3 years of loading. Clin Implant Dent Relat Res 2014;16(2):292-302
- [3] Arnhart C, Kielbassa AM, Martinez-de Fuentes R, Goldstein M, Jachowski J, Lorenzoni M, Maiorana C, Mericske-Stern R, Pozzi A, Rompen E, Sanz M, Strub JR. Comparison of variable thread tapered implant designs to a standard tapered implant design after immediate loading. A 3-year multicenter randomised controlled trial. Eur J Oral Implantol. 2012 5:123-36
- [4] Babbush C, Kutsko G, Brokloff J. The All-on-Four Immediate function treatment concept with NobelActive implants- A retrospective study. J Oral Implantol 2011;37(4):431-45
- [5] Balshi TJ, Wolfinger GJ, Slauch RW, Balshi SF. A retrospective analysis of 800 Brånemark System implants following the All-on-Four™ protocol. J Prosthodont. 2014 23:83-8
- [6] Francetti L, Romeo D, Corbella S, Taschieri S, Del Fabbro M. Bone level changes around axial and tilted implants in full-arch fixed immediate restorations. Interim results of a prospective study. Clin Implant Dent Relat Res 2012;14:646-54
- [7] Franchini I, Capelli M, Fumagalli L, Parenti A, Testori T. Multicenter retrospective analysis of 201 consecutively placed camlog dental implants. The International journal of periodontics & restorative dentistry 2011;31:255-263
- [8] Galindo DF, Butura CC. Immediately loaded mandibular fixed implant prostheses using the all-on-four protocol: a report of 183 consecutively treated patients with 1 year of function in definitive prostheses. Int J Oral Maxillofac Implants. 2012;27:628-33
- [9] Gultekin BA, Gultekin P, Leblebicioglu B, Basegmez C, Yalcin S. Clinical evaluation of marginal bone loss and stability in two types of submerged dental implants. Int J Oral Maxillofac Implants. 2013;28(3):815-23
- [10] Irinakis T, Wiebe C. Clinical evaluation of the NobelActive implant system; a case series of 107 consecutively placed implants and a review of the implant features. J Oral Implantol. 2009;35:283-88
- [11] Maló P, de Araújo Nobre M, Lopes A, Francishone C, Rigolizzo M. All-on-4 Immediate-Function Concept for Completely Edentulous Maxillae: A Clinical Report on the Medium (3 Years) and Long-Term (5 Years) Outcomes. Clin Implant Dent Relat Res 2011:1-12.
- [12] Maló P, de Araújo Nobre M, Lopes A, Moss SM, Molina GJ. A longitudinal study of the survival of All-on-4 implants in the mandible with up to 10 years of follow-up. J Am Dent Assoc. 2011 Mar;142(3):310-20.
- [13] Mozzati M, Arata V, Gallesio G, Mussano F, Carossa S. Immediate post-extractive dental implant placement with immediate loading on four implants for mandibular full-arch rehabilitation: a retrospective analysis. Clin Implant Dent Relat Res 2013;15:332-40
- [14] Weinstein R, Agliardi E, Fabbro MD, Romeo D, Francetti L. Immediate Rehabilitation of the Extremely Atrophic Mandible with Fixed Full-Prosthesis Supported by Four Implants. Clin Implant Dent Relat Res 2012;14:434-441