

Praxisorientierte Anwendung monophasischer Knochenkeramiken

Augmentation und Regeneration

Prof. Dr. Dr. Florian G. Draenert

Literaturangabe

- [1] Boyan, B. D., T. W. Hummert, D. D. Dean and Z. Schwartz (1996). „Role of material surfaces in regulating bone and cartilage cell response.“ *Biomaterials* 17(2): 137-146.
- [2] Boyne, P. J. and R. A. James (1980). „Grafting of the maxillary sinus floor with autogenous marrow and bone.“ *J Oral Surg* 38(8): 613-616.
- [3] Broggini, N., L. M. McManus, J. S. Hermann, R. U. Medina, T. W. Oates, R. K. Schenk, D. Buser, J. T. Mellonig and D. L. Cochran (2003). „Persistent acute inflammation at the implant-abutment interface.“ *J Dent Res* 82(3): 232-237.
- [4] Buser, D., K. Dula, U. Belser, H. P. Hirt and H. Berthold (1993). „Localized ridge augmentation using guided bone regeneration. 1. Surgical procedure in the maxilla.“ *Int J Periodontics Restorative Dent* 13(1): 29-45.
- [5] Draenert, F. G., D. Huetzen, P. Kammerer and W. Wagner (2011). „Bone augmentation in dental implantology using press-fit bone cylinders and twin-principle diamond hollow drills: a case series.“ *Clin Implant Dent Relat Res* 13(3): 238-243.
- [6] Draenert, F. G., D. Huetzen, A. Neff and W. E. Mueller (2014). „Vertical bone augmentation procedures: basics and techniques in dental implantology.“ *Journal of Biomedical Materials Research Part A* 102(5): 1605-1613.
- [7] Draenert, F. G., P. W. Kammerer, M. Berthold and A. Neff (2016). „Complications with allogeneic, cancellous bone blocks in vertical alveolar ridge augmentation: prospective clinical case study and review of the literature.“ *Oral Surg Oral Med Oral Pathol Oral Radiol*.
- [8] Draenert, F. G., P. W. Kammerer, V. Palarie and W. Wagner (2012). „Vertical bone augmentation with simultaneous dental implantation using crestal biomaterial rings: a rabbit animal study.“ *Clinical Implant Dentistry and Related Research* 14 Suppl 1: e169-174.
- [9] Draenert, F. G., A. L. Nonnenmacher, P. W. Kammerer, J. Goldschmitt and W. Wagner (2013). „BMP-2 and bFGF release and in vitro effect on human osteoblasts after adsorption to bone grafts and biomaterials.“ *Clin Oral Implants Res* 24(7): 750-757.
- [10] Draenert, G. F. (2010). „Das Press-fit-Prinzip bei Biomaterialien und Transplantaten in der Knochenchirurgie: neue Aspekte und Anwendungskonzepte in der Mund-, Kiefer- und Gesichtschirurgie.“ *Habilitation*, University of Mainz, Germany: 1-58.
- [11] Draenert, G. F. and M. Delius (2007). „The mechanically stable steam sterilization of bone grafts.“ *Biomaterials* 28(8): 1531-1538.
- [12] Draenert, G. F. and D. O. Huetzen (2013). „Knochenaugmentation komplexer Defekte.“ *Implantologie Journal*(3): 24-38.
- [13] Hulbert, S. F., F. A. Young, R. S. Mathews, J. J. Klawitter, C. D. Talbert and F. H. Stelling (1970). „Potential of ceramic materials as permanently implantable skeletal prostheses.“ *J Biomed Mater Res* 4(3): 433-456.
- [14] Khouri, F. (2013). „The bony lid approach in pre-implant and implant surgery: a prospective study.“ *Eur J Oral Implantol* 6(4): 375-384.
- [15] Khouri, F., H. Antoun and P. Missika (2007). *Bone augmentation in oral implantology*. New Malden, UK, Quintessence Publishing Co. Ltd.
- [16] Kielbassa, A. M., R. Martinez-de Fuentes, M. Goldstein, C. Arnhart, A. Barlattani, J. Jackowski, M. Knauf, M. Lorenzon, C. Maiorana, R. Mericske-Stern, E. Rompen and M. Sanz (2009). „Randomized controlled trial comparing a variable-thread novel tapered and a standard tapered implant: interim one-year results.“ *J Prosthet Dent* 101(5): 293-305.
- [17] Lopez-Mari, L., J. L. Calvo-Guirado, B. Martin-Castellote, G. Gomez-Moreno and M. Lopez-Mari (2009). „Implant platform switching concept: an updated review.“ *Med Oral Patol Oral Cir Bucal* 14(9): e450-454.
- [18] Malo, P., B. Rangert and M. Nobre (2005). „All-on-4 immediate-function concept with Branemark System implants for completely edentulous maxillae: a 1-year retrospective clinical study.“ *Clinical Implant Dentistry and Related Research* 7 Suppl 1: S88-94.
- [19] Mattsson, T., P. Å. Kondell, G. W. Gynther, U. Fredholm and A. Bolin (1999). „Implant treatment without bone grafting in severely resorbed edentulous maxillae.“ *Journal of Oral and Maxillofacial Surgery* 57(3): 281-287.
- [20] Noelken, R., M. Donati, J. Fiorellini, N. C. Gellrich, W. Parker, K. Wada and T. Berglundh (2012). „Soft and hard tissue alterations around implants placed in an alveolar ridge with a sloped configuration.“ *Clinical Oral Implants Research*.
- [21] Summers, R. B. (1994). „A new concept in maxillary implant surgery: the osteotome technique.“ *Compendium* 15(2): 152, 154-156, 158 passim; quiz 162.
- [22] Wagner, W., P. Tetsch, K. L. Ackermann, U. Bohmer and H. Dahl (1981). „[Animal experimental studies on bone regeneration in standardized defects after the implantation of tricalcium phosphate ceramic].“ *Dtsch Zahnärztl Z* 36(2): 82-85.
- [23] Wang, S., X. Wang, F. G. Draenert, O. Albert, H. C. Schroder, V. Mailander, G. Mitov and W. E. Muller (2014). „Bioactive and biodegradable silica biomaterial for bone regeneration.“ *Bone* 67: 292-304.
- [24] Zhang, Y., W. Fan, Z. Ma, C. Wu, W. Fang, G. Liu and Y. Xiao (2010). „The effects of pore architecture in silk fibroin scaffolds on the growth and differentiation of mesenchymal stem cells expressing BMP7.“ *Acta Biomater*.

