



## Frühkindliche Karies ist noch immer ein Problem

# Füllungstherapie in der Kinderzahnheilkunde

Ein Beitrag von Prof. Dr. Dr. Norbert Krämer

## Literaturangabe

1. Al-Eheideb, AA, Herman, NG. Outcomes of dental procedures performed on children under general anesthesia. *J Clin Pediatr Dent* 2003;27:181-3.
2. Alshali, RZ, Silikas, N, Satterthwaite, JD. Degree of conversion of bulk-fill compared to conventional resin-composites at two time intervals. *Dent Mater* 2013;29:e213-e217.
3. Anegundi, RT, Patil, SB, Tegginmani, V, Shetty, SD. A comparative microbiological study to assess caries excavation by conventional rotary method and a chemo-mechanical method. *Contemp Clin Dent* 2012;3:388-92.
4. Attari, N, Roberts, JF. Restoration of primary teeth with crowns: a systematic review of the literature. *Eur Arch Paediatr Dent* 2006;7:58-62.
5. Attin, T, Buchalla, W, Hellwig, E. Influence of enamel conditioning on bond strength of resin-modified glass ionomer restorative materials and polyacid-modified composites. *J Prosthet Dent* 1996;76:29-33.
6. Attwood, D, Reid, JS, Evans, D. Assessment of glass polyalkenoate restorations in primary molar teeth. *Eur J Prosthodont Restor Dent* 1994;2:183-5.
7. Baker, LH, Moon, P, Mourino, AP. Retention of esthetic veneers on primary stainless steel crowns. *ASDC J Dent Child* 1996;63:185-9.
8. Beattie, S, Taskonak, B, Jones, J, Chin, J, Sanders, B, Tomlin, A, Weddel, J. Fracture Resistance of 3 Types of Primary Esthetic Stainless Steel Crowns. *J Can Dent Assoc* 2011;77:1-7.
9. Bell, SJ, Morgan, AG, Marshman, Z, Rodd, HD. Child and parental acceptance of preformed metal crowns. *Eur Arch Paediatr Dent* 2010;11:218-24.
10. Bjorndal, L. In deep cavities stepwise excavation of caries can preserve the pulp. *Evid Based Dent* 2011;12:68.
11. Braff, MH. A comparison between stainless steel crowns and multisurface amalgams in primary molars. *ASDC J Dent Child* 1975;42:474-8.
12. Braff, MH. A comparison between stainless steel crowns and multisurface amalgams in primary molars. *ASDC J Dent Child* 1975;42:474-8.
13. Burke, FM, Hamlin, PD, Lynch, EJ. Depth of cure of light-cured glass-ionomer cements. *Quintessence Int* 1990;21:977-81.
14. Chadwick, BL, Evans, DJ. Restoration of class II cavities in primary molar teeth with conventional and resin modified glass ionomer cements: a systematic review of the literature. *Eur Arch Paediatr Dent* 2007;8:14-21.
15. Chadwick, BL, Evans, DJ. Restoration of class II cavities in primary molar teeth with conventional and resin modified glass ionomer cements: a systematic review of the literature. *Eur Arch Paediatr Dent* 2007;8:14-21.
16. Curzon, M. Primary tooth metal crowns. *Eur Arch Paediatr Dent* 2010;11:215.
17. Curzon, ME, Toumba, KJ. Restoration of primary teeth: clinical criteria for assessment of the literature. *Eur Arch Paediatr Dent* 2006;7:48-52.
18. Daou, MH, Tavernier, B, Meyer, JM. Two-year clinical evaluation of three restorative materials in primary molars. *J Clin Pediatr Dent* 2009;34:53-8.
19. de Amorim, RG, Leal, SC, Frencken, JE. Survival of atraumatic restorative treatment (ART sealants and restorations: a meta-analysis. *Clin Oral Investig* 2012;16:429-41.
20. Dean, AA, Bark, JE, Sherriff, A, Macpherson, LM, Cairns, A. Use of the 'Hall technique' for management of carious primary molars among Scottish general dental practitioners. *Eur Arch Paediatr Dent* 2011;12:159-62.
21. Duggal, MS, Nooh, A, High, A. Response of the primary pulp to inflammation: a review of the Leeds studies and challenges for the future. *Eur J Paediatr Dent* 2002;3:111-4.
22. Eidelman, E, Faibis, S, Peretz, B. A comparison of restorations for children with early childhood caries treated under general anesthesia or conscious sedation. *Pediatr Dent* 2000;22:33-7.
23. Ernst, CP, Weckmuller, C, Willershausen, B. Milchzahn-aufbauten mit Kompomeren mit Kompomeren. *Schweiz Monatsschr Zahnmed* 1995;105:664-71.

24. Fayle, SA. UK National Clinical Guidelines in Paediatric Dentistry. Stainless steel preformed crowns for primary molars. Faculty of Dental Surgery, Royal College of Surgeons. *Int J Paediatr Dent* 1999;9:311-4.
25. Fayle, SA. UK National Clinical Guidelines in Paediatric Dentistry. Stainless steel preformed crowns for primary molars. Faculty of Dental Surgery, Royal College of Surgeons. *Int J Paediatr Dent* 1999;9:311-4.
26. Frankenberger, R, Krämer, N. Moderne Adhäsivtechnik im Milchgebiss. *Oralprophylaxe Kinderzahnheilkd* 2010;32:162-6.
27. Guelmann, M, Shapira, J, Silva, DR, Fuks, AB. Esthetic restorative options for pulpotomized primary molars: a review of literature. *J Clin Pediatr Dent* 2011;36:123-6.
28. Gupta, M, Chen, JW, Ontiveros, JC. Veneer retention of preveneered primary stainless steel crowns after crimping  
2. *J Dent Child (Chic)* 2008;75:44-7.
29. Hickel, R, Kaaden, C, Paschos, E, Buerkle, V, Garcia-Godoy, F, Manhart, J. Longevity of occlusally-stressed restorations in posterior primary teeth. *Am J Dent* 2005;18:198-211.
30. Hickel, R, Kaaden, C, Paschos, E, Buerkle, V, Garcia-Godoy, F, Manhart, J. Longevity of occlusally-stressed restorations in posterior primary teeth. *Am J Dent* 2005;18:198-211.
31. Hosoya, Y, Omachi, K, Staninec, M. Colorimetric values of esthetic stainless steel crowns. *Quintessence Int* 2002;33:537-41.
32. Hubel, S, Mejare, I. Conventional versus resin-modified glass-ionomer cement for Class II restorations in primary molars. A 3-year clinical study. *Int J Paediatr Dent* 2003;13:2-8.
33. Innes, NP, Evans, DJ, Stirrups, DR. The Hall Technique; a randomized controlled clinical trial of a novel method of managing carious primary molars in general dental practice: acceptability of the technique and outcomes at 23 months. *BMC Oral Health* 2007;7:18.
34. Innes, NP, Marshman, Z, Vendan, RE. A group of general dental practitioners' views of preformed metal crowns after participation in the Hall technique clinical trial: a mixed-method evaluation. *Prim Dent Care* 2010;17:33-7.
35. Innes, NP, Stirrups, DR, Evans, DJ, Hall, N, Leggate, M. A novel technique using preformed metal crowns for managing carious primary molars in general practice - a retrospective analysis. *Br Dent J* 2006;200:451-4.
36. Kidd, EA. How 'clean' must a cavity be before restoration? *Caries Res* 2004;38:305-13.
37. Kilpatrick, NM, Murray, JJ, McCabe, JF. The use of a reinforced glass-ionomer cermet for the restoration of primary molars: a clinical trial. *Br Dent J* 1995;179:175-9.
38. Koubi, S, Raskin, A, Bukiet, F, Pignoly, C, Toca, E, Tassery, H. One-year clinical evaluation of two resin composites, two polymerization methods, and a resin-modified glass ionomer in non-carious cervical lesions. *J Contemp Dent Pract* 2006;7:42-53.
39. Krämer, N, Frankenberger, R. Clinical performance of a condensable metal-reinforced glass ionomer cement in primary molars. *Br Dent J* 2001;190:317-21.
40. Krämer, N, & Frankenberger, R. 2008. Füllungstherapie im Milchgebiss. In: *Kinderzahnheilkunde* (Ed. by J. Einweg & K. Pieper), pp. 161-186. München: Urban und Fischer.
41. Krämer, N, Michel, R, Englert, S, Petschelt, A, Frankenberger, R. Oral health of bavarian schoolchildren 2009. *Oralprophylaxe Kinderzahnheilkd* 2011;34:74-82.
42. Kramer, N, Rudolph, H, Garcia-Godoy, F, Frankenberger, R. Effect of thermo-mechanical loading on marginal quality and wear of primary molar crowns. *Eur Arch Paediatr Dent* 2012;13:185-90.
43. Kramer, N, Rudolph, H, Garcia-Godoy, F, Frankenberger, R. Effect of thermo-mechanical loading on marginal quality and wear of primary molar crowns. *Eur Arch Paediatr Dent* 2012;13:185-90.
44. Kramer, N, Tilch, D, Luckner, S, Frankenberger, R. Status of ten self-etch adhesives for bonding to dentin of primary teeth. *Int J Paediatr Dent* 2013.
45. Krejci, I, Gebauer, L, Häusler, T, Lutz, F. Kompomere - Amalgamersatz für Milchzahnkavitäten? *Schweiz Monatsschr Zahnmed* 1994;104:724-30.
46. Kupietzky, A. Bonded resin composite strip crowns for primary incisors: clinical tips for a successful outcome. *Pediatr Dent* 2002;24:145-8.
47. Kupietzky, A, Waggoner, WE, Galea, J. Long-term photographic and radiographic assessment of bonded resin composite strip crowns for primary incisors: results after 3 years. *Pediatr Dent* 2005;27:221-5.
48. Kupietzky, A, Waggoner, WF, Galea, J. The clinical and radiographic success of bonded resin composite strip crowns for primary incisors. *Pediatr Dent* 2003;25:577-81.
49. Lee, JK. Restoration of primary anterior teeth: review of the literature. *Pediatr Dent* 2002;24:506-10.
50. Lohbauer, U, Kramer, N, Siedschlag, G, Schubert, EW, Lauerer, B, Muller, FA, Petschelt, A, Ebert, J. Strength and wear resistance of a dental glass-ionomer cement with a novel nanofilled resin coating. *Am J Dent* 2011;24:124-8.
51. Ludwig, KH, Fontana, M, Vinson, LA, Platt, JA, Dean, JA. The success of stainless steel crowns placed with the Hall technique: a retrospective study. *J Am Dent Assoc* 2014;145:1248-53.
52. MacLean, JK, Champagne, CE, Waggoner, WF, Ditmyer, MM, Casamassimo, P. Clinical outcomes for primary anterior teeth treated with preveneered stainless steel crowns. *Pediatr Dent* 2007;29:377-81.
53. Moorthy, A, Hogg, CH, Dowling, AH, Grufferty, BF, Bennetti, AR, Fleming, GJ. Cuspal deflection and microleakage in premolar teeth restored with bulk-fill flowable

- resin-based composite base materials. *J Dent* 2012;40:500-5.
54. Mortada, A, King, NM. A simplified technique for the restoration of severely mutilated primary anterior teeth. *J Clin Pediatr Dent* 2004;28:187-92.
  55. Nicholson, JW. Polyacid-modified composite resins ("compomers" and their use in clinical dentistry. *Dent Mater* 2007;23:615-22.
  56. O'Sullivan, EA, Curzon, ME. The efficacy of comprehensive dental care for children under general anesthesia. *Br Dent J* 1991;171:56-8.
  57. Ostlund, J, Moller, K, Koch, G. Amalgam, composite resin and glass ionomer cement in Class II restorations in primary molars--a three year clinical evaluation. *Swed dent J* 1992;16:81-6.
  58. Pieper, K. 2010. Epidemiologische Begleituntersuchungen Zur Gruppenprophylaxe 2009. 1. Auflage edn. Bonn: Deutsche Arbeitsgemeinschaft für Jugendzahn-pflege.
  59. Qvist, V, Laurberg, L, Poulsen, A, Teglers, PT. Eight-year study on conventional glass ionomer and amalgam restorations in primary teeth. *Acta Odontol Scand* 2004;62:37-45.
  60. Qvist, V, Manscher, E, Teglers, PT. Resin-modified and conventional glass ionomer restorations in primary teeth: 8-year results. *J Dent* 2004;32:285-94.
  61. Rajan, S, Day, PF, Christmas, C, Munyombwe, T, Duggal, M, Rodd, HD. Pulpal status of human primary molars with coexisting caries and physiological root resorption. *Int J Paediatr Dent* 2014;24:268-76.
  62. Ram, D, Fuks, AB. Clinical performance of resin-bonded composite strip crowns in primary incisors: a retrospective study. *Int J Paediatr Dent* 2006;16:49-54.
  63. Ram, D, Fuks, AB. Clinical performance of resin-bonded composite strip crowns in primary incisors: a retrospective study. *Int J Paediatr Dent* 2006;16:49-54.
  64. Roberts, C, Lee, JY, Wright, JT. Clinical evaluation of and parental satisfaction with resin-faced stainless steel crowns. *Pediatr Dent* 2001;23:28-31.
  65. Robke FJ, Buitkamp M. Häufigkeit der Nuckelflaschenkaries bei Vorschulkindern in einer westdeutschen Großstadt. *Oral Prophyl* 2002;24:59-65.
  66. Rodd, HD, Waterhouse, PJ, Fuks, AB, Fayle, SA, Moffat, MA. Pulp therapy for primary molars. *Int J Paediatr Dent* 2006;16 Suppl 1:15-23.
  67. Rosenblatt, A. The Hall technique is an effective treatment option for carious primary molar teeth. *Evid Based Dent* 2008;9:44-5.
  68. Rutar, J, McAllan, L, Tyas, MJ. Three-year clinical performance of glass ionomer cement in primary molars. *Int J Paediatr Dent* 2002;12:146-7.
  69. Shah, PV, Lee, JY, Wright, JT. Clinical success and parental satisfaction with anterior veneered primary stainless steel crowns. *Pediatr Dent* 2004;26:391-5.
  70. Sonnesen, L, Bakke, M. Bite force in children with unilateral crossbite before and after orthodontic treatment. A prospective longitudinal study. *Eur J Orthod* 2007;29:310-3.
  71. Su, HL, Chen, PS. A clinical evaluation of comprehensive dental treatment for children under general anesthesia. *Changgeng Yi Xue Za Zhi* 1992;15:188-92.
  72. Tate, AR, Ng, MW, Needleman, HL, Acs, G. Failure rates of restorative procedures following dental rehabilitation under general anesthesia. *Pediatr Dent* 2002;24:69-71.
  73. Tickle, M, Milsom, K, King, D, Kearney-Mitchell, P, Blinkhorn, A. The fate of the carious primary teeth of children who regularly attend the general dental service. *Br Dent J* 2002;192:219-23.
  74. Tonmukayakul, U et al. Protocol for the Hall Technique study: A trial to measure clinical effectiveness and cost-effectiveness of stainless steel crowns for dental caries restoration in primary molars in young children. *Contemp Clin Trials* 2015.
  75. van, dZ, V, van Amerongen, WE. Short communication: Influence of preformed metal crowns (Hall technique on the occlusal vertical dimension in the primary dentition. *Eur Arch Paediatr Dent* 2010;11:225-7.
  76. Waggoner, WF. Restoring primary anterior teeth. *Pediatr Dent* 2002;24:511-6.
  77. Waggoner, WF. Anterior crowns for primary anterior teeth: an evidence based assessment of the literature. *Eur Arch Paediatr Dent* 2006;7:53-7.
  78. Waggoner, WF, Cohen, H. Failure strength of four veneered primary stainless steel crowns. *Pediatr Dent* 1995;17:36-40.
  79. Welbury, RR, Shaw, AJ, Murray, JJ, Gordon, PH, McCabe, JF. Clinical evaluation of paired compomer and glass ionomer restorations in primary molars: final results after 42 months. *Br Dent J* 2000;189:93-7.
  80. Welbury, RR, Walls, AW, Murray, JJ, McCabe, JF. The 5-year results of a clinical trial comparing a glass polyalkenoate (ionomer) cement restoration with an amalgam restoration. *Br Dent J* 1991;170:177-81.
  81. Wickersham, GT, Seale, NS, Frysh, H. Color change and fracture resistance of two veneered stainless-steel crowns after sterilization. *Pediatr Dent* 1998;20:336-40.
  82. Yilmaz, Y, Guler, C. Evaluation of different sterilization and disinfection methods on commercially made preformed crowns. 23824. *J Indian Soc Pedod Prev Dent* 2008;26:162-7.
  83. Yu, C, Gao, XJ, Deng, DM, Yip, HK, Smales, RJ. Survival of glass ionomer restorations placed in primary molars using atraumatic restorative treatment (ART) and conventional cavity preparations: 2-year results. *Int Dent J* 2004;54:42-6.