

## One-year post-loading prospective case series

# Volumetric changes in sinuses augmented with a crestal approach

MARCO TALLARICO<sup>1</sup>, ERTA XHANARI<sup>2</sup>, YONG-JIN KIM<sup>3</sup>, ADEM ALUSHI

## Literature

1. Tallarico M, Meloni SM, Xhanari E, Pisano M, Cochran DL. Minimally Invasive Sinus Augmentation Procedure Using a Dedicated Hydraulic Sinus Lift Implant Device: A Prospective Case Series Study on Clinical, Radiologic, and Patient-Centered Outcomes. *Int J Periodontics Restorative Dent* 2017;37(1):125–135.
2. Tallarico M, Cochran DL, Xhanari E, Dellavia C, Canciani E, Mijiritsky E, et al. Crestal sinus lift using an implant with an internal L-shaped channel: 1-year after loading results from a prospective cohort study. *Eur J Oral Implantol* 2017;10(3):325–336.
3. Tallarico M, Better H, De Riu G, Meloni SM. A novel implant system dedicated to hydraulic Schneiderian membrane elevation and simultaneously bone graft augmentation: An up-to 45 months retrospective clinical study. *J Craniomaxillofac Surg* 2016;44(8):1089–1094.
4. Gatti F, Gatti C, Tallarico M, Tommasato G, Meloni SM, Chiapasco M. Maxillary Sinus Membrane Elevation Using a Special Drilling System and Hydraulic Pressure: A 2-Year Prospective Cohort Study. *Int J Periodontics Restorative Dent* 2018;38(4):593–599.
5. Esposito M, Felice P, Worthington HV. Interventions for replacing missing teeth: Augmentation procedures of the maxillary sinus. *Cochrane Database Syst Rev* 2014(5):CD008397.
6. Summers RB. A new concept in maxillary implant surgery: the osteotome technique. *Compendium* 1994;15(2):152,154–156,158.
7. Tatum HJ. Maxillary and sinus implant reconstructions. *Dent Clin North Am* 1986;30(2):207-229.
8. Pjetursson BE, Rast C, Brägger U, Schmidlin K, Zwahlen M, Lang NP. Maxillary sinus floor elevation using the (trans-veolar) osteotome technique with or without grafting material. Part I: implant survival and patients' perception. *Clin Oral Implants Res* 2009;20:667–676.
9. Peñarrocha M, Garcia A. Benign paroxysmal positional vertigo as a complication of interventions with osteotome and mallet. *J Oral Maxillofac Surg*. 2006;64(8):1324.
10. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. *J Periodontol* 2005;76(3):482–491.
11. Yassin Alsabbagh A, Alsabbagh MM, Darjazini Nahas B, Rajih S. Comparison of three different methods of internal sinus lifting for elevation heights of 7 mm: an ex vivo study. *Int J Implant Dent* 2017;3(1):40.
12. Tallarico M, Meloni SM. Open-cohort prospective study on early implant failure and physiological marginal remodeling expected using sandblasted and acid-etched bone level implants featuring an 11° Morse taper connection within one year after loading. *J Oral Science Rehabilitation* 2017;3(1):68–79.
13. Misch CE. Density of bone: Effect on surgical approach, and healing. In: Misch M (ed). *Contemporary Implant Dentistry*. St Louis: Mosby, 1999:371–384.
14. Canullo L, Wiel Marin G, Tallarico M, Canciani E, Musto F, Dellavia C. Histological and Histomorphometrical Evaluation of Postextractive Sites Grafted with Mg-Enriched Nano-Hydroxyapatite: A Randomized Controlled Trial Comparing 4 Versus 12 Months of Healing. *Clinical Implant Dentistry and Related Research* 2016;18(5):973–983.
15. Esposito M, Felice P, Worthington HV. Interventions for replacing missing teeth: augmentation procedures of the maxillary sinus. *Cochrane Database Syst Rev* 2014;13:CD008397.
16. Yassin Alsabbagh A, Alsabbagh MM, Darjazini Nahas B, Rajih S. Comparison of three different methods of internal sinus lifting for elevation heights of 7 mm: an ex vivo study. *Int J Implant Dent* 2017;3(1):40.
17. Tallarico M, Esposito M, Xhanari E, Caneva M, Meloni SM. Computer-guided vs freehand placement of immediately loaded dental implants: 5-year post-loading results of a randomised controlled trial. *Eur J Oral Implantol* 2018;11(2):203-213.

18. Tallarico M, Meloni S. Retrospective Analysis on Survival Rate, Template-Related Complications, and Prevalence of Peri-implantitis of 694 Anodized Implants Placed Using Computer-Guided Surgery: Results Between 1 and 10 Years of Follow-Up. *Int J Oral Maxillofac Implants* 2017;32(5):1162–1171.
19. Tallarico M, Xhanari E, Cocchi F, Canullo L, Schipani F, Meloni SM. Accuracy of computer-assisted template-based implant placement using a conventional impression and scan model or digital impression: A preliminary report from a randomized controlled trial. *J Oral Science Rehabilitation* 2017;3(3):8–16.

