



## Kieferorthopädische Behandlungsgeräte und digitale Innovationen

# Neues für die Praxis

Ein Beitrag von Tamara Pollak, Dr. Lukas Brämshwig,  
Dr. Samantha Moscarino, Dr. Isabel Knaup, Prof. Dr. Michael Wolf

## Literaturangabe

1. Bae, M.J., et al., Accuracy of miniscrew surgical guides assessed from cone-beam computed tomography and digital models. *Am J Orthod Dentofacial Orthop*, 2013. 143(6): p. 893-901.
2. Cassetta, M., et al., Palatal orthodontic miniscrew insertion using a CAD-CAM surgical guide: description of a technique. *Int J Oral Maxillofac Surg*, 2018. 47(9): p. 1195-1198.
3. Castilla, A.E., et al., Measurement and comparison of bracket transfer accuracy of five indirect bonding techniques. *Angle Orthod*, 2014. 84(4): p. 607-14.
4. Chang, H.P. and Y.C. Tseng, Miniscrew implant applications in contemporary orthodontics. *Kaohsiung J Med Sci*, 2014. 30(3): p. 111-5.
5. Dasy, H., et al., Effects of variable attachment shapes and aligner material on aligner retention. *Angle Orthod*, 2015. 85(6): p. 934-40.
6. Duarte, M.E.A., et al., Reproducibility of digital indirect bonding technique using three-dimensional (3D) models and 3D-printed transfer trays. *Angle Orthod*, 2020. 90(1): p. 92-99.
7. El-Timamy, A.M., et al., Three-dimensional imaging for indirect-direct bonding. *Am J Orthod Dentofacial Orthop*, 2016. 149(6): p. 928-31.
8. Gomez, J.P., et al., Initial force systems during bodily tooth movement with plastic aligners and composite attachments: A three-dimensional finite element analysis. *Angle Orthod*, 2015. 85(3): p. 454-60.
9. Johnston, C.D. and S.J. Littlewood, Retention in orthodontics. *Br Dent J*, 2015. 218(3): p. 119-22.
10. Koo, B.C., C.H. Chung, and R.L. Vanarsdall, Comparison of the accuracy of bracket placement between direct and indirect bonding techniques. *Am J Orthod Dentofacial Orthop*, 1999. 116(3): p. 346-51.
11. Kucera, J. and I. Marek, Unexpected complications associated with mandibular fixed retainers: A retrospective study. *Am J Orthod Dentofacial Orthop*, 2016. 149(2): p. 202-11.
12. Littlewood, S.J., et al., Retention procedures for stabilising tooth position after treatment with orthodontic braces. *Cochrane Database Syst Rev*, 2016(1): p. Cdo02283.
13. Mantovani, E., et al., Scanning electron microscopy evaluation of aligner fit on teeth. *Angle Orthod*, 2018. 88(5): p. 596-601.
14. Mohammed, H., et al., Role of anatomical sites and correlated risk factors on the survival of orthodontic miniscrew implants: a systematic review and meta-analysis. *Prog Orthod*, 2018. 19(1): p. 36.
15. Poggio, P.M., et al., „Safe zones“: a guide for miniscrew positioning in the maxillary and mandibular arch. *Angle Orthod*, 2006. 76(2): p. 191-7.
16. Robertson, L., et al., Effectiveness of clear aligner therapy for orthodontic treatment: A systematic review. *Orthod Craniofac Res*, 2019.
17. Weckmann, J., et al., Influence of attachment bonding protocol on precision of the attachment in aligner treatments. *J Orofac Orthop*, 2019.
18. Weir, T., Clear aligners in orthodontic treatment. *Aust Dent J*, 2017. 62 Suppl 1: p. 58-62.
19. Wolf, M., et al., Novel lingual retainer created using CAD/CAM technology: evaluation of its positioning accuracy. *J Orofac Orthop*, 2015. 76(2): p. 164-74.