One-year follow up of full arch treatment with new fully tapered tissue level implant system

Heritage meets innovation for function and aesthetics

DR EIRIK SALVESEN

Literature

- [1] Brånemark PI, Hansson BO, Adell R, et al.: Osseointegrated implants in the treatment of the edentulous jaw. Experience from a 10-year period. Scandinavian journal of plastic and reconstructive surgery Supplementum. 1977; 16: 1-132.
- [2] Brånemark PI, Svensson B, van Steenberghe D: Ten-year survival rates of fixed prostheses on four or six implants ad modum Brånemark in full edentulism. Clinical oral implants research. 1995; 6: 227-231.
- [3] Shackleton JL, Carr L, Slabbert JC, et al.: Survival of fixed implant-supported prostheses related to cantilever lengths. The Journal of prosthetic dentistry. 1994; 71: 23-26.
- [4] White SN, Caputo AA, Anderkvist T: Effect of cantilever length on stress transfer by implant-supported prostheses. The Journal of prosthetic dentistry. 1994; 71: 493-499.
- [5] Sertgöz A, Güvener S: Finite element analysis of the effect of cantilever and implant length on stress distribution in an implant-supported fixed prosthesis. The Journal of prosthetic dentistry. 1996; 76: 165-169.
- [6] Dard M, Kuehne S, Obrecht M, et al.: Integrative Performance Analysis of a Novel Bone Level Tapered Implant. Advances in dental research. 2016; 28: 28-33.
- [7] Pariente L, Dada K, Daas M, et al.: Evaluation of the treatment of partially edentulous patients with bone level tapered implants: 24-month clinical and radiographic follow-up. The Journal of oral implantology.
- [8] Levine RA, McAllister BS, Miller RJ, et al.: A Prospective Clinical Study on Implant Survival at 1-Year Post-Loading of a Bone-Level Tapered Implant in Private Practice: Multicentered Study. Compendium of continuing education in dentistry (Jamesburg, NJ: 1995). 2019; 40: 678-691.

- [9] Baroudi K, Ibraheem SN: Assessment of Chair-side Computer-Aided Design and Computer-Aided Manufacturing Restorations: A Review of the Literature. Journal of international oral health: JIOH. 2015; 7: 96-104.
- [10] Zaruba M, Mehl A: Chairside systems: a current review. International journal of computerized dentistry. 2017; 20: 123-149.
- [11] Derks J, Schaller D, Håkansson J, et al.: Effectiveness of Implant Therapy Analyzed in a Swedish Population: Prevalence of Peri-implantitis. Journal of dental research. 2016; 95: 43-49.
- [12] Torroella-Saura G, Mareque-Bueno J, Cabratosa-Termes J, Hernandez-Alfaro F, Ferres-Padro E, Calvo-Guirado JL. Effect of implant design in immediate loading. A randomized, controlled, split-mouth, prospective clinical trial. Clin Oral Implants Res. 2015;26:240–244.
- [13] Wilson TG Jr, Miller RJ, Trushkowsky R, Dard M. Tapered implants in dentistry: revitalizing concepts with technology: a review. Adv Dent Res. 2016;28:4–9.
- [14] Lee DW, Choi YS, Park KH, Kim CS, Moon IS. Effect of microthread on the maintenance of marginal bone level: A 3-year prospective study. Clin Oral Implants Res. 2007;18:465–470.
- [15] Albrektsson T, Zarb G, Worthington P, Eriksson AR (1986) The long-term efficacy of currently used dental implants: a review and proposed criteria of success. Int J Oral Maxillofac Implants 1:11–25
- [16] Broggini N, McManus LM, Hermann JS, Medina R, Schenk RK, Buser D, Cochran DL (2006) Peri-implant inflammation defined by the implant—abutment interface. J Dent Res 85:473–47831